OXIDATION KINETICS OF 2.5 Cr. IMO STEEL IN AIR, OXYGEN AND OXYGEN-WATER VAPOUR MIXTURE

A Thesis Submitted in Partial Fulfilment of the Requirements for the Degree of

MASTER OF TECHNOLOGY

By
A. S. KHANNA

6:326

to the

DEPARTMENT OF METALLURGICAL ENGINEERING
INDIAN INSTITUTE OF TECHNOLOGY KANPUR
MAY, 1980

CENTRAL LIBRARY

2 5 MLV 1988

ME-1980-M-KHA-OXI

Re ceived on 26/04

CERTIFICATE

Certified that the work contained in this thesis, entitled 'Oxidation kinetics of 2.5 Cr - 1 Mo steel in air, oxygen and oxygen-water vapour mixture' has been carried out by Mr. A.S. Khanna under my supervision and the same has not been submitted elsewhere for a degree.

(K.P. Singh Professor

Department of Metallurgical Engineering Indian Institute of Technology, Kanpur-208016

POST GRADUATE OFFICE
This thesis has been approved
for the award of the Degree of
Master of Pecarology (A Peal)
in an ordance with the
regulations of the Film
regulations of the Film
regulations of Pecanology Language
13.5. D

ACKNOWLEDGEMENTS

I feel great pleasure in expressing a profound sense of gratitude to Professor K.P. Singh for his constant cooperation, inspiration, encouragement and his kind, able and dynamic guidance during the course of this work.

I take this opportunity to express a deep sense of respect and sincere thanks to Dr. T.R. Ramachandran, Dr. K.P. Gupta and Dr. K.N. Rai for their valuable ideas on various topics related to the work embodied in this thesis.

I wish to express sincere thanks to Mr. M.N. Mungole for his constant effort to keep the lab. upto date and his unfailing help at every stage of this work.

I express my most humble thanks to Mr. K.P.

Mukherjee of Physical Metallurgy, Mr. Das, Incharge of TEM_Lab

Mr. Pande of X-ray laboratory, Mr. Bhatnagar of ACMS for

their assistance in various measurements.

My appreciation towards the facilities extended by Central Workshop and Glass-Blowing section are duly recorded.

I must express my sincere thanks to Dr. V.S.

Raghunathan and Mr. S. Vaidyanathan of RRC for their help in

SEM and EDAX work...

I thankfully acknowledge the Department of Atomic Energy and specially to Dr. Placid Rodriguez for his kind efforts in offering me this opportunity to do M. Tech. at I.I.T. Kanpur.

In the end, I thank Mr. M.R. Nathwani for his careful and efficient typing of the thesis, Mr. B.P. Suman for carrying out cyclostyling work and Mr. V.P. Gupta for sketching the tracings.

My acknowledgements remain incomplete unless I gratefully mention, the patience, understanding and the help in various ways provided by my wife 'PREETI'.

A.S. KHANNA

CONTENTS

| CHAP | PTER | | |
|----------|-----------------------------------|--|------------|
| | ABSTRACT | | |
| l | INTRODUCTION | | 1 |
| 2 | EXPERIMENTAL | | |
| | 2.1 | Materials | 28 |
| | 2.2 | Gases | 28 |
| | 2.3 | Specimen Prepration | 29 |
| | 2.4 | Weight gain measurements | 3 0 |
| | 2.5 | Examination of oxidation products | 35 |
| <u>.</u> | THER | MO GRAVI METRY | 3 8 |
| | 3.1 | Effect of temperature and time | 51 |
| | 3.2 | Effect of surface finish | 57 |
| | 3.3 | Effect of cold work on oxidation rate | 59 |
| | 3.4 | Effect of oxygen pressure | 61 |
| | 3. 5 | Reproducibility of thermogravimetric results | 63 |
| | 3.6 | Effect of medium on the oxidation rate | 64 |
| | 3.7 | Activation energies | 69 |
| | | References | 72 |
| 4 | EXAMINATION OF OXIDATION PRODUCTS | | |
| | 4.1 | Physical Features | 73 |
| | 4.2 | Optical Microscopy | 75 |
| | 4.3 | Scanning Electron Microscopy | 80 |

| CH APTER | | | |
|------------|---|-----|--|
| 4.4 E | DAX | 82 | |
| 4.5 X | -ray Diffraction | 86 | |
| 4.6 E | lectron Microscopy | 95 | |
| 5 GENERA | L DISCUSSIONS AND CONCLUSION | 98 | |
| 6 NEED O | F FUTURE WORK | 104 | |
| APPENDIX 1 | Basic informations about samples (Tables 1 to 4) | | |
| | Thermogravimetric Data (Tables 5 to 9) | | |
| APPENDIX 2 | X-ray Diffraction Data for some importan compounds. | t | |

Colours of some important compounds.

LIST OF FIGURES

| Figure | | Page |
|-----------|--|----------------|
| 1.1 | Iron oxygen phase diagram. | 4 |
| 1.2 | Mechanism of iron oxidation. | 6 |
| 2.1 | Reaction chamber and weight gain recording unit. | 31 |
| 2.2 | Gas train | 34 |
| 3.1 | Simultaneous DTA and TGA curve | 39 |
| 3.2-3.4 | Weight gain curves (linear plots) | 42-4/ |
| 3.13-3.14 | Weight gain curves | 65– 66 |
| 3.5-3.7 | Double log plots | 45- 47 |
| 3.8-3.9 | Square of weight gain vs time plots | 52-54 |
| 3.10 | Single log plot | 55 |
| 3.11 | Effect of surface finish | 58 |
| 3.12 | Effect of oxygen pressure | 62 |
| 3.15 | Arrhenius plot | 7 0 |
| 4.1-4.20 | Optical micrographs | 76- 79 |
| 4.21-25 | SEM 11 | 81 |
| 4.26-4.28 | EDAX Results | 83– 8,7 |
| 4.29-4.33 | TEM Results | 96 |

ABSTRACT

Oxidation behaviour of 2.5 Cr - 1 Mo steel was studied in air, oxygen and oxygen water vapour mixture. Isothermal runs were carried out at 1 atm pressure at various temperatures, ranging from 500°C to 1000°C. Rate laws were determined at each temperature and activation energies were thus calculated. Effect of time, temperature and medium on oxidation rate has been described.

Effect of surface finish, cold work and oxygen pressure on oxidation rate was also determined.

Oxidation products have been examined, systematically using optical microscopy, SEM, EDAX and X-ray Diffraction. Few oxide layers were also observed in TEM.

CHAPTER ?

INTRODUCTION

Chromium-Molybdenum steels have been found to be useful materials for steam-generating components of various power reactors. Therefore a good amount of work has been published about the compatibility of these steels with steam 1-3. Previously these steels were being used in gas-cooled reactors. where earbon dioxide gas was used as coolant. Hence many workers 4-7 have studied in detail the corrosion and oxidation characteristics of these steels in carbon dioxide. A number of papers^{8,9} have also been published, where the mechanical properties of these steels have been discussed in detail. An extended review 10 covering various aspects of chrome-moly steels was published in 1974. However, very few publications appeared in literatur which can highlight the oxidation characteristics of these steels in air and oxygen. Present work has been earried out keeping this in view.

Oxidation kinetics of 2.5 Cr - 1 Mo steel have been studied in air, dry oxygen and oxygen water vapour mixture between temperature ranging from 500°C to 1000°C. The analysis of the oxidation products formed has also been carried out systematically using optical microscopy, SEM, EDAX and X-ray diffraction.

An extensive literature survey on the oxidation characteristics of pure iron, chromium molybdenum and their alloys was made and is summarized below.

OXIDATION OF PURE IRON:

Iron is one of the most important metal which has been studied quite immensely and elaborately. Oxidation of this metal has been studied from room temperature to as high as 1100° C. These studies have been carried out in various environments like air, oxygen, water vapours, steam, carbon dioxide etc. A brief summary of the oxidation behaviour of this metal in these environments will be given here.

Room temperature oxidation of iron has been reported by many workers 11,12. According to Gilroy et al. 12, film growth in air formed oxide on pure iron follows the inverse rather than direct logarithmic relationship.

Above 250°C and at normal pressure of air or oxygen, the oxidation rate of iron has been found frequently to be parabolic $^{13-20}$. Stanley expressed the parabolic rate constant between temperature 500° C to 1100° C by an equation $K_{\rm p} = 0.37~{\rm exp}~(-33,000/{\rm RT})~{\rm g}^2~{\rm cm}^{-4}~{\rm sec}^{-1}$. On observing the dependence of parabolic rate constant on temperature, one notes a break at $500-600^{\circ}$ C, which is due to the fact that

FeO is not stable in bulk below 570°C, according to the iron-oxygen equilibrium diagram shown in Fig. 1.1, although it may continue to be present in the form of thin film adjacent to the iron surface down to 400°C^{21,22}.

Iron forms three stable oxides, Wustite, Fe0, magnetite, Fe304 and hematite, Fe203. Fe0 is a p-type conductor. The defects consist of vacant cation sites and equivalent number of electron defects represented chemically by trivalent Fe3+ ions. Consequently diffusion is essentially cationic via vacant cation sites. The diffusion ratio is relatively high. Fe304, also exists with an excess of oxygen, but the excess is much smaller than with Wustite, and the defect concentration correspondingly less. It follows from marker diffusion measurements by Birchenall and his Colleagues 17,23 that both cations and anions diffuse in Fe304. Hematite is an n-type conductor in which anions largely diffuse 17.

Effect of oxygen pressure on the oxidation of iron was studied by Caplan et al. 15 at 500°C. They found that oxidation was lower at 10 torr than at 760 torr owing to greater separation between oxide and metal. It is reported 20°, that at 900-1000°C if oxygen pressure exceeds 1-20 mm Hg a transition from linear to parabolic oxidation takes place.




Figure 1.1 Equilibrium diagram of the iron-oxygen system.

Under these conditions, Fe₃0₄ and Fe₂0₃ are formed on the top of the Wustite and oxidation becomes diffusion controlled. Hauffe²⁷ reduced the oxygen potential in the gas phase by using CO/CO₂ mixtures. In this case scale formed at 900-1000°C consisted only of FeO. They found that under these conditions the oxygen uptake was linearly proportional to time, although compact scale free of voids was formed. The oxidation rate was found to depend on gas pressure in the following manner:


$$K_1 = const. (p_{CO_2}/p_{CO})^{O.71}$$

Pfeiffier 26 studied the oxidation of iron at $(10^{-3} - 1 \text{ mm Hg})$ established by $\text{Cu}_2\text{O}-\text{CuO}$ equilibrium and found that in this case only FeO was formed and obtained the linear rate constant varying with oxygen pressure as:

$$K_1 = const. p_0^{0.7}$$

From all these observations, the simplified picture shown in Fig. 1.2 emerges for the oxidation mechanism of iron above 600°C as given by Hauffe²⁷.

Below 700°C, the relative proportion of Wustite and magnetite in the scale does not appear to remain constant with time, but Fe₃0₄ is present in decreasing proportions²⁹.



Phase boundary reactions:

Figure 1.2 Oxidation mechanism of iron above 600°C after Hauffu.

Below 570°C. Wustite disappears almost entirely. Since oxygen diffuses predominently in Fe₂0₃ and to some substantial proportion in Fe₃0₄¹⁷, it may now reach the interface and even penetrate the metal. This was, in fact concluded by Vernon et al 30 from various low temperature investigations. These workers showed that the thickness of strippable film remained approximately constant for oxidation times varying from 20-450h at 180°C, the weight increase of the specimens being due to oxidation on existing oxide inclusions beneath the Strippable film. At 225°C, however, the oxygen absorbed resulted in progressive thickening of the strippable Thus there appears to be a pronounced change in the mechanism of the oxidation of iron at about 200°C. Above this temperature, oxidation is essentially parabolic, below it becomes logarithmic 30-32. At low temperature obviously thin film mechanisms apply. The driving force for the ionic movement across the oxidation layer is not a concentration gradient but an electric field as in the Mott-Mauffe-Ilschnev model³³.

Oxidation of pure iron has been studied widely in presence of watervapours or steam³⁴⁻³⁷. Presence of steam accelerates the oxidation in oxygen of mild steel and two grades of pure iron of varying purity. Rahmel et al. ³⁵ reported that the scaling rate of iron is not influenced by

water vapours at 750° C. At 850° C the rate rises by a factor of 1.2, at 950° C by a factor of 1.6 respectively, in presence of water vapour. They presumed that pores occur at the iron-wustite interface during the oxidation. In the presence of water vapour, at H_2/H_2 O mixture is formed in these pores which transports by an oxidation reduction mechanism, oxygen to the iron surface. Therefore oxide bridges are built up from the metal to scale, which enables the further oxidation of the metal without substantial inhibition.

Caplan et al. 38 studied the oxidation of cold worked and annealed iron at 500°C and 550°C in 02 at 1 atm. pressure. They observed that apparent parabolic rate constant for cold worked Fe was high initially and dropped steeply and approached constant value at long times. Annealed iron oxidised slowly and developed voids between oxide and metal. Caplan and Cohen 39 in 1967 observed that cold work increased the oxidation rate of iron in water vapour. According to them cold work metal surface provides sinks thereby minimising interfacial detachment.

Oxidation of Chromium:

Oxidation of pure chromium has been studied quite widely by various workers. The literature on the resistance

of unalloyed Cr to oxidation has been summarized to 1960 by Kubaschewski and Hopkins³³ and Ignatove and Shamguhova⁴⁰, Hagel⁴¹ reported the scaling of Cr in oxygen and air at 700 to 1100°C. Widmer et al⁴² heated Cr in oxygen and air at 980 to 1200°C, Fox and McGurty⁴³ in air at 1260°C, and Wilms and Rea⁴⁴ in air at 1038°C. Caplan et al.⁴⁵ oxidised Cr in 1 atm of oxygen at 980, 1090 and 1200°C for periods upto 100 hrs. Mortimer and Post⁴⁶ in 1968 did an extensive study on the oxidation of pure chromium in oxygen under isothermal conditions in range of 650 to 1000°C for periods upto 1200h.

The only oxide formed on heating Cr in oxygen at various temperatures is ${\rm Cr_20_3^{22,48}}$. Electron diffraction lines are sharp when the oxide is formed above $600^{\circ}{\rm C}$ and diffuse for lower temperatures. X-ray examination shows that ${\rm Cr_20_3}$ is also formed on heating the metal in ${\rm air}^{49,50}$, but at high temperatures at least, some nitrogen is taken into solution, and this separates as ${\rm Cr_2N}$ on cooling in air, but is retained in solution on quenching in water. According to Arkharov et al. 49 the oxidation rate in air is less than that in pure oxygen ${\rm Cr_20_3}$ is p-type semiconductor hence metal additions of higher valency than three seem to increase, additions of lower vacancy decrease the oxidation

rate of chromium. According to Gulbransen et al⁵² pure Cr oxidised more slowly than a less pure one.

Oxidation kinetics of Cr in pure oxygen has been described by Mortimer and Post 46, in various stages According to the # in 0-2h oxidation a parabolic rate equation was obeyed and they found the activation energy of this process as 59.5 Kcal/mole. During 2-20h, the oxidation rate continued to decrease steadily but after 2-5h the weight increase was always less than that predicted by the rate equation derived for 0-2h period. Instead the data for 5-20h period fitted a parabola with lower rate constant. The most interesting results were found during 1200 h oxidation at 950°C. During this sudden increases in oxidation rate observed from time to time. The first break appeared was during 60-80 hrs and the weight change was around 2.5 mg/em². Five such breaks were observed during 1200h isothermal oxidation.

Thus, according to Mortimer and Post⁴⁶ high purity Cr oxidises by a diffusion controlled process during the of first few hours/oxidation in the range 650-950°C. The rate constants are in agreement with values for cation diffusion in Cr₂O₃. Blistering and cracking of the scale occurs at 950°C. The scale on Cr is most susceptible to cracking but the origin of stresses is not fully understood. However

the stress appears to be an intrinsic feature of the oxidation mechanism and the blistering is apparently greatest in the finest grained scale. Further the oxidation of chromium is remarkably dependent upon experimental technique.

According to Caplan 45 behaviour of Cr in high temperature service could be improved if the rapid initial oxidation rate was avoided and if anion diffusion rate was suppressed.

Caplan 45 showed that moisture does not significantly affect the oxidation of chromium. They observed the close correspondance between weight gain time curves for etched Cr oxidised in wet and dry oxygen at 1090°C upto 100 hr.

Oxidation of Molybdenum

Oxidation of Molybdenum has been extensively investigat in late fifties and early sixties, because of its very attractive mechanical properties at temperatures well above those covered by conventional creep-resisting alloys.

Quantitative study of the oxidation of Mo has been pursued by a number of investigators 53-59. Molybdenum remains bright up to 200°C during a 2h exposure to air 60, it tranishes to a steel-blue colour at 300°C and forms adherent oxide at temperatures up to 600°C. Above this the outer layer of MoO₃ becomes granular 61, then melts and volatilizes so that the rate of oxidation is very high and occurs with a net loss in weight 60-64.

Gulbransen and his Co-workers^{53,54} measured the rate of oxidation in the pressure range 10⁻⁶ to 76 mm Hg of oxygen. A substantial increase in oxidation rate was observed with an increase of either temperature or pressure. At low pressure and times less than an hour, Mo oxidises according to a parabolic rate law. Below 450°C the oxide formed as a thin surface film is MoO₃, above 450°C, MoO₂ forms with an associated increase in oxidation rate, with extended test times the oxidation curve deviates from the parabolic, although the coatings remain partially protective. The rate constants⁵³ for the parabolic oxidation of Mo and Fe at 7.6 cm of oxygen pressure and 450°C are 3.33x10⁻¹³ and 0.334 x 10⁻¹³ gm cm⁻² sec⁻¹ respectively.

Peterson and Fassell⁵⁸ studied the oxidation of Mo at high pressures (1-47.6 atm 0₂) in the temperature range 500°C to 700°C. The only oxidation product observed under these conditions was MoO₃. Above 525°C the oxidation rate becomes sensitive to pressure, increasing with an increase in pressure, at nearly all temperatures and pressures the oxidation is linear indicating a non-protective coating. However at temperature between 650°C and 700°C a parabolic oxidation rate was observed by these investigators at low pressures, changing gradually to a linear rate at higher pressures.

Lustman⁵⁶ reports that data prior to 1950 on the oxidation of Mo in air as a function of temperature are scanty. He noted that the oxidation rate not only increases with temperature but that during the course of a test at a given temperature, it also may increase with time. Lustman also reported that above the m.p. of MoO₃, 795°C an essentially constant rate of oxidation was observed.

Simnad and Spiliners⁵⁹ have studied the mechanism

of oxidation of Mo in pure O₂ at 1 atm. in temperature range

500°C to 700°C. They found that vaporization of MoO₃ from
the surface of an oxidising specimen into pure oxygen at

atm. is linear with time, with an activation energy of

53,000 cal/mole below 650°C and 89,600 cal/mole at temperature
above 650°C. They found that at low temperatures the formation
of MoO₃ is parabolic and at higher temperature is linear.

The suboxide MoO₂ thickness does not increase beyond a very
small critical thickness. At temperatures above 725°C
catastrophic oxidation of an autocatalytic nature was
encountered by them.

In a later study by Jones et al. 65 of Mo in air, they found that initially the oxidation is parabolic changing ultimately to a constant rate. The detailed character of the oxidation curve depends on time, temperature and sample history. According to them oxidation of Molybdenum

from the surface inward is a rate process and not an equilibrium process, therefore it would be expected that several layers of oxide would co-exist on the Mo surface. Surface phases such as

Molybdenum Molybde- Lower oxides metal num of Mo03 saturated Molybdenum with 02

Can be inferred from the gradient of oxygen activity. By X-ray diffraction analysis and metallographic study on some sheet sample oxidised at 571° C, they were able to shother three phases consisting of MoO_3 the outer oxide layer, MoO_2 (3 > z<2) adjacent to the unoxidised metal core and MoO_2 , (3 > z' < z) at places where MoO_3 got ruptured. With the help of marker studies they indicated that oxidation is initiated and then proceeds at the metal interface through diffusion of oxygen ions (0 -) to the metal oxide interface.

In air saturated with $\rm H_2O$ vapours, Friedrich⁶⁶ reported that hydrous molybdenum oxide formation takes place, which follows a linear law, rate constant for which is 0.27 gm cm⁻² day⁻¹.

Iron-Chromium Alloys

A recent study of the oxidation of pure iron and iron-chromium alloys containing 0.2-10.0 pct. chromium in oxygen at 750-1025°C shows that whereas the former follows parabolic 'law' the latter obeys no simple reproducible growth relation. At very low chromium contents, the alloy oxidizes more rapidly than iron initially, but for longer periods rate is less. As the chromium content is increased the oxidation rate falls at any given temperature.

The mechanism of oxidation is probably essentially the same in oxygen, air, water vapour and carbon dioxide, namely the break-through of an initially protective 'Cr₂O₃' rich layer followed by scale growth. However, the actual rate may show considerable variation. It is reported ⁶⁹ that oxidation rate is often slower in air. Most studies have been conducted in dry oxygen ^{67,68,70-80} or air that is substantially dry ^{71,76,78,81-83}. Somewhat similar behaviour is observed in the two environments but the growth rate in the initial stages and the eventual break-through is appreciably faster as the partial pressure of oxygen is increased ⁷¹. While comparing results obtained in oxygen to air, one should be careful because difference may not be entirely due to variation in oxygen partial pressure. Compounds such as

Cr₂N may be formed under some conditions^{69,84} and nitrogen may be trapped in the 'Cr203' lattice. Two N3- ions replacing three 02- ions would tend to make the 'Cr203' more nearly stochiometric, so cutting down the oxidation rate. In almost all cases, water vapours in small or large quantities increase the scaling rate of pure Fe-Cr alloys 85-86. Probably the main reasons for the rate differences are again connected with the influence of atmosphere on the 'Cr203' defect structure. In water vapour atmosphere, the film is effectively being produced at a lower oxygen potential and may also contain H⁺ and OH⁻ ions. According to Wood⁸⁷ a slightly cationdeficient 'Cr203' lattice in presence of OH ions in place of 0² ions would effectively increase the number of cation vacancies and hence the growth rate. It is also significant that in water vapour oxidation, appreciably more 'Fe0' is formed and 'Fe203' is generally absent. The absence of or reduced quantities of the less ductile 'Fe304' and 'Fe203' may make some contribution to the increased rates 88.

Pure iron-chromium alloys containing over 13 pct. Cr are in equilibrium with Cr_2O_3 containing little dissolved Fe_2O_3 , at least at 1000°C and $1300^{\circ}\text{C}^{77}$. Alloys of lower chromium content are in equilibrium with Fe $\text{Fe}_{(2-x)}^{\circ}\text{Cr}_x^{\circ}$ 4 (0 \leq x \leq 2). Diffraction techniques 76,89 and EPMA prove that inner layers of nodules contain principally a mixture

of chromium oxide and iron oxides and the outer regions almost pure oxides of iron. In the completely stratified scales various combinations of 'Cr₂O₃' 'Fe Fe_(2-x)Cr_xO₄' rich in chromium, 'FeO', 'Fe₃O₄' and 'Fe₂O₃' may appear, usually in this order from the alloy to the outer surface, depending upon the conditions ^{67,68,71}. EPMA of scales produced on Fe-14.4 pct. Cr alloys in steam at 950-1000°C clearly reveal two major scale layers, the outer one consisting largly of 'FeO' and the inner one containing a rather complex distribution of oxides of iron and chromium⁹⁰. Many other workers ⁷⁸ have also shown increased Cr content near alloy oxide interface.

During oxidation underlying alloy is depleted with respect to Cr and with respect to certain other alloying elements in the case of complex alloys. For Fe-14.4 pct. Cr oxidised in steam for 10-30 min, there is a 5-micron wide layer showing depletion, the minimum recorded being 11.5 pct. Cr. The appreciable depletion is related to large activation energy of inter diffusion of iron and Chromium 1. It appears, currently accepted theories on the vacancy mechanism of diffusion do not easily explain diffusion rates in the Fe-Cr alloys. Ring diffusion or some other mechanism may be involved at some compositions 1. Another important investigation 1. The influence of adding 10 pct. of third

element on diffusion of Cr in Fe was studied at 950-1000°C. Sn increases the rate, W and Ni have little effect and Ti, Si, Nb and Be reduce the rate by a half to a tenth.

When the Cr content of an Fe-Cr alloy is very low, the alloy should scale in much the same way as pure iron except that the thickness, composition and mechanical properties of the 'FeO', 'Fe $_3$ O $_4$ ' and 'Fe $_2$ O $_3$ ' layers will be affected by the Cr. The observation that in the initial stages Fe-O.2 pct. Cr oxidises more rapidly than Fe in oxygen could be explained by the fact that Cr present in the FeO making it even more cation deficient. It seems then that the reduced rates of oxidation of low Fe-Cr alloys as compared with iron are due to the presence of Fe Fe $_{(2-x)}$ Cr $_x$ O $_4$ spinel and to the decreased amount of FeO formed $_6$ O $_7$.

Oxidation rates are affected to a greater or lesser extent by the presence of other alloying and 'tramp' elements. Oxides of these elements, distributed in the bulk oxide in solid solution or as discrete layers or particles, may affect the defect structure and conductivity and hence the growth rate of scale and its mechanical properties, in particular its adhesion to the alloy and its plasticity. Here only the effect of Mo will be mentioned.

Mo is enriched in passive films formed at room temperatures 93,94 small quantities of this element may be

larger quantities of this element can lead to catastrophic destruction of the oxide 82,95. The situation appears to depend on the Mo and Cr contents and on the temperature. The location of the Mo within the scale may be important Ralph 6 recently has suggested various alloys formed by combination of chromium and Mo which have excellant corrosion resistance. For example 18 Cr - 2 Mo steel has corrosion resistance at least comparable and frequently superior to that of AISI type 304, 26 Cr - 1 Mo steels provide outstanding performance in caustic environment and 29 Cr - 4 Mo steels provide extraordinary corrosion resistance.

Iron-Molybdenum Alloys

Rahmel⁹⁷ and coworkers studied the oxidation of Fe-Mo alloys (Mo content from 0.5-5.6 wt pct.) in air at temperature range from 500-1000°C. They concluded that presence of Mo reduces the oxidation rate of Fe by almost a power of 10. Scale on Fe-Mo alloys is built up of 3 layers between 500-620°. Below the outer layers of hematite and magnetite a thin layer of Fe₄Mo₆O₁₆ lies directly above the metal. Between 620°C and 700°C the scale is again built up of 3 layers but in stead of Fe₄Mo₆O₁₆ below the outer layers, a 2-phase layer built up of Wustite and the spinel Fe₂MoO₄

was detected. Above 700° C the scale is built up of 4 layers which differs from the layers formed at $620\text{--}700^{\circ}$ C. In that, between the magnetite layer and the inner 2-phase layer, a closed Wustite layer is formed. The reduction of oxidation rate is due to the formation of inner Fe-Mo-O compound. Since diffusion coefficient of Fe in compound Fe_2MoO_4 or $\text{Fe}_4\text{Mo}_6\text{O}_{16}$ are very likely to be smaller than Wustite or magnetite. Mo is accumulated in the inner most layer while the outer layers are almost free of Mo.

Vladimirova et al. ⁹⁸ studied the oxidation of Fe-5 pct. Mo and Fe-10 pct. Mo alloys in air between temperature range 600 to 900°C. The apparant activation energy for 5 pct. Mo alloy was found to be 39685 cal/mole and that for 10 pct. Mo alloy was 40,535 cal/mole. They expressed the oxidation process for 50 pct. alloy at 700-900°C by equation

log K = -39,685/4.57T + 7.64 and for 10 pct alloy as

$$\log K = -40,535/4.57T + 8.04$$

where K is the rate constant.

As found by the previous author 96 the top layer was Fe_2O_3 the middle Fe_3O_4 and inner layer was porous FeO with Mo inclusion. Due to the slow diffusion of Mo in comparison to O and Fe, Mo accumulates in the inner layer of oxide.

References:

- 1. M.I. Manning and E. Metcalf, Brit. Nuc. Energy Soc. Conf. on ferritic steels for fast reactor steam generators,

 London, June 1977.
- 2. Oxidation of ferritic steels TRG Report 2996(R).
- J.C. Ralph et al., 6th Int. Conf. on heat transfer,
 Utah 14-17 Aug. 1977 Proc. Vol. 4, 1978, pp. 379-384.
- 4. Brit. Corr. J. Jan. 1968, 3, (1), 34-46.
- 5. Trans. of Brit. Nuc. Soc., March 1974.
- 6. J. of electrochemical Soc. 1976.
- 7. P.L. Harrison et al., Mat. Sc. 1976, 10(1), 220-233.
- 8. J. Iron and Steel Inst. of Japan, 1971, 52(2), 367-385.
- g. Iron Steel, 1956, 29(1), P 150-153.
- 10. Review on Chrome-Moly Steels, GEAP-20589, Oct. 1974.
- 11. Brit. Corr. J. Jan., 1968, 3(1), 34-46.
- 12. J. of Iron and Steel Inst. Japan, 1971, 52(2), 367-385.
- 13. N.B. Pilling and R.E. Bedworth, J. Inst. Met. 29 (1923)
 529.
- 14. W.H.J. Vernon, Trans. Faraday Soc. 31 (1935) 1668.
- 15. A.B. Winterbottom, J. Iron Steel Inst. 165 (1950) 9.
- 16. J. Paidassi, Acta Metallurgica (6 (1958) 184.
- 17. M.H. Davies et al., J. Metals, N.Y. 3 (1951) 8895 (1953) 1250.

- 18. J.K. Stanley et al., Trans. Amer. Soc. Metals 43 (1951)
 426.
- 19. A. Portevin et al., Rev. Metall. 31 (1934) 101, 186.
- 20. N.G. Schmahl et al., Arch Eisenhuttenw. 29 (1958) 147.
- 21. E.A. Gulbransen and R.J. Ruka, J. Metals N.Y. 188 (1950) 1500.
- 22. E.A. Gulbransen and J.W. Hickman, Trans. Amer. Inst. Min. Engrs. 171 (1947).
- 23. L. Himmel et al., J. Metals, N.Y. 5 (1953) 827.
- 24. J.S. Anderson, Faraday Soc. Disc. 4 (1948) 163.
- 25. D. Caplan, M.J. Graham and M. Cohen, Corr. Sc., Vol. 10, 1970. p 1-8.
- 26. H. Pfeiffer and C. Laubmeyer, Z. Elektrochem, 59 (1955) 579.
- 27. K. Hauffe and H. Pfeiffer, Z. Metallk. 44 (1953) 27.
- 28. K. Hauffe, Metalloberflache (A.) 8 (1954) 97.
- 29. J. Paidassi, Bol. Soc. Chil. Quim 5 (1953) 46.
- 30. W.H.J. Vernon et al., Proc. Roy Soc. (A) 216 (1953) 375.
- 31. O. Kubaschewski and D.M. Brasher, Trans. Faraday Soc. 55 (1959) 1200.
- 32. J. Moreau and M. Cagnet, Rev. Metall 55 (1958) 1091.
- 33. O. Kubaschewski and B.E. Hopkins 'Oxidation of Metals and Alloys' Ed. 1967, p. 75.

- 34. P.L. Surman, Corr. Sc. 1973, 13, p. 113-124.
- 35. A. Rahmel et al., Corr. Sc., 1965, 5, p. 333-346.
- 36. C.W. Tuck et al., Corr. Sc., 9 (1969) p. 271-287.
 M. Cohen,
- 37. D. Caplan and \(\text{Corr. Sc. 7 (1967) p. 725-727.} \)
- 38. D. Caplan, G.I. Sproule and R.J. Hussey, Corr. Sc. 1970 (10) p. 9-17.
- 39. D. Caplan and M. Cohen, Corr. Sc., Oct. 1967, 7(10), 725-727.
- 40. D.V. Ignatov and R.D. Shamgunova, Mechanism of oxidation of Alloys with Nickel and Chromium as Base, P. 34, Izd-vo Akademie Nauk CCCP, Moscow (1960), p. 28 NASA Technical translation F.59 (March 1961).
- 41. W.C. Hagel, General Electric Research Lab. Report
 No. 62-RL-2917 M (Feb. 1962).
- 42. R. Widmer et al., Refractory Metals and alloys,

 Metallurgical Society conferences Vol. 11, p. 183,

 Interscience NY (1961).
- 43. J.E. Fox and J.A. McGurty, Metallurgical Society

 Conferences, Vol. 11, p. 207, Interscience, NY (1961).
- 44. G.R. Wilms and T.W. Rea, J. Less Common Metals 3, 234 (1961).
- 45. D. Caplan, AlmaHarvey and M. Cohen, Corr. Sc. (1963), 3, pp 161-175.

- 46. D. Mortimer and M.L. Post, Corr. Sc. 1968, (8), pp. 499-512.
- 47. Workstoffe, Korrosion, Nov. 1970, 21 (11) 886-94.
- 48. S. Miyake, Sci. Pap. Inst. Phys. Chem. Res., Tokyo 29 (1936) 167 31 (1937) 161.
- 49. V. Arkhrov et al., Fiz. Metal. i Metalloved, Akad.
 Nauk, SSSR 5 (1957) 190.
- 50. C. Phalnikar et al., J. electrochem. Soc. 103 (1956)
 429.
- 51. G. Lorenz and W.A. Fisher, Z. Phys. Chem. (NF) 18 (1958) 265.
- 52. E.A. Gulbransen and K.F. Andrew, J. Electrochem. Soc. 104 (1957) 334.
- 53. J.W. Hickman and E.A. Gulbransen, Met. Tech. 14, TP 2144 (1947).
- 54. E.A. Gulbransen and W.S. Wysong, ibid, 14, TP 2226.
- 55. E.S. Jones 'A study of the oxidation characteristics of Molybdenum at elevated temperatures, M.Sc. thesis' The Ohio State Univ.1952.
- 56. B. Lustman, Met. Prog., 57, 629 (1950).
- 57. J.F. Mosher, The kinetics of the oxidation of Molybdenum M.Sc. Thesis, The Ohio State Univ. (1953).
- 58. R.C. Peterson and W.M. Fassell 'High Pressure oxidation of Metals' Mo in oxygen, Tech. Report VI DA-04-495 ORD-237, 1954.

- 59. M. Simand and A. Spilners. Trans. AIME 203, 1011 (1955).
- 60. E. Nachtigall, Z. Metallk. 43 (1952) 23.
- 61. A.A. Zaitsev and D.V. Ignatov, Izvest, Akad, Nauk. SSSR, Metally, 1970, (4), 218-221.
- 62. B. Lustman, Metal Progr. 57 (1950) 629.
- 63. O. Kubaschewski and A. Schneider, J. Inst. Met. 75 (1949) 403.
- 64. V. Akharov and Yu. D. Kozmanov, Fiz. Metal i Metalloved, Akad Nauk SSSR 11 (1956) 361.
- 65. E.S. Jones et al., Corrosion, 14 (1958) 2t.
- 66. K. Friedrich, J. Less Common metals, Oct. 1968, 16,(2), p. 147-156.
- 67. D. Lai et al., Metallurgy Rept. No. 22, Princeton Univ., 1960.
- 68. D. Lai et al., Corrosion 17, 109 (1961).
- 69. V.I. Arkharov et al, Fiz. Metal. Metalloved, Akad. Nauk SSSR 5, 190 (1957).
- 70. W.W. Smeltzer, Acta Met. 8, 268 (1960).
- 71. H.M. McCullough, M.G. Fontana and F.H. Beck, Trans.
 Amer. Soc. of Metals 43, 404 (1951).
- 72. E.J. Felton, J. Electrochem. Soc. 108, 490 (1961).

- 73. R.L. Rickett and W.P. Wood, Trans. Amer. Soc. Metals 22, 347 (1934).
- 74. D. Caplan, A. Harvey and M. Cohen, J. Electrochem. Soc. 108, 134 (1961).
- 75. H.H. Uhlig and A. De S. Brasunas, ibid 97, 448 (1950).
- 76. H.J. Yearian et al., Corr. 13, 597t (1957).
- 77. A.V. Seybolt, J. Electrochem. Soc. 107, 147 (1960).
- 78. H.J. Yearian et al., Corrosion 12, 515t (1956).
- 79. J. Moreau and J. Benard, C.R. Acad. Sci. Paris 237, 1417 (1953).
- 80. D. Caplan, J. Electrochem. Soc. 107, 359 (1960).
- 81. D. Caplan and M. Cohen, Trans. Amer. Inst. Min. Engrs. 194, 1057 (1952).
- 82. A. De S. Brasunas and N.J. Grant, Trans. Amer. Soc. Metals, 44, 1117 (1952).
- 83. S.S. Brenner, J. Electrochem. 102, 16 (1955).
- 84. C.A. Phalniker et al. J. Electrochem. Soc. 103, 429 (1956).
- 85. C.T. Fujii and R.A. Meussner, N.R.L. Rept. 5506, 1960.
- 86. J. Benard, J. Moreau and J. Plateau, Z. Elektrochem. 61, 59 (1957).
- 87. G.C. Wood, Corr. Sc., 1961, Vol. 2, pp 173-196.
- 88. J.D. Mackenzie and C.E. Birchennall Corr. 13, 783t (1957).

- 89. J.F. Radavich, A.S.T.M. Special Publ. 171, 89 (1955).
- 90. G.C. Wood and D.A. Melford, J. Iron. St. Inst. 198, 142 (1961).
- 91. T.P. Hoar and E.A.G. Croom, J. Iron Steel Inst. 169, 101 (1951).
- 92. H.W. Paxton and E.J. Pasierb, Trans. Met. Soc. Amer. Inst. Min. Engrs. 218, 794 (1960).
- 93. E.M. Mahila and N.A. Nielsen, Trans. Electrochem. Soc. 93, 1 (1948).
- 94. T.N. Rhodin, Corrosion 12, 123t 465t (1956).
- 95. A.B. Wilder and J.O. Light, Trans. Amer. Soc. Metals 43, 323 (1951).
- 96. R.M. Davisen et al. Met. Prog., June 1979, 115, (6), pp. 40-46.
- 97. A. Rahmel et al., Arch Eisenhuttenw, 30, 351-360 (1959) Chem. Abs. 53, 16890.
- 98. M.G. Vladimirova et al., Trudy Leningrad, Lesotekh, Akad. im.S.M. Kirova 92, No. 3, 105-15, Chem. Abs. 56, 4470.

CHAPTER 2

EXPERI MENTAL

2.1 Materials

Exact chemical composition of the material, analysed for elements carbon, chromium and molybdenum was found to be:

| Element | C | Cr | Мо |
|---------|------|-----|-----|
| wt pct. | 0.09 | 2.2 | 1.1 |

Allove material in the form of 1 mm thick strips cut from a boiler tube by milling operation, was received from Metallurgy Division Reactor: Research Centre, Kalpakkam.

2.2 Gases

For carrying out the oxidation in air, laboratory air was used. No purification or drying was carried out. For oxidation in oxygen environment, commercial grade oxygen cylinder was used. The gas was purified to remove the impurities like moisture and carbon dioxide, by passing it over sulphuric acid and soda asbestoes. The oxidation in oxygen-water vapour mixture was carried out by bubbling

the purified gas, as explained above over distilled water maintained at a constant temperature of 32°C. This gave oxygen gas saturated with about 5 pct. water vapours.

2.3 Specimen Preparation

Rectangular specimens of surface area ranging from 1-2 cm² [exact details can be seen in Tables 1 to 4 in Appendix 1] were used throughout the experiment. These were cut from a .5 mm thick foil obtained by cold rolling of the 1 mm thick strips. The rectangular specimens were then mounted on a pyrex block using a double adhesive tape. One side of this specimen was polished upto 4/0. emery paper. After this, the other side was similarly polished upto 4/0 emery finish. The bright shining specimens so obtained were then sealed in quartz capsule under a vacuum of the order of 10⁻³ torr. These were then annealed at 850°C for two hours. Before final using, it was again rubbed on 4/0 emery paper in order to remove any oxide layer formed during annealing. The specimen was then washed with distilled water and acetone and finally dried.

Some of the specimens were prepared, by first annealing the thin strips at 850°C for two hours followed by cutting and polishing. This was done in order to find the effect of cold work (discussed elsewhere) on oxidation rate.

2.4 Weight Gain Measurements:

For weight gain measurements a continuous recording semimicro balance (manufactured by Ainsworth and Sons Inc., USA) was used. The set up is shown schematically in Fig. 2.1. It had an electronic indicating and recording device. With the help of an x-y recorder it gave a continuous record of the weight changes occuring in the sample as a function of time on a chart. The balance had a sensitivity of 0.1 mg, readibility by estimation, of 0.01 mg and reproducibility of ± 0.03 mg. The span which is attached on the chart read 10 mg. Whenever the recorder pen approached a chart edge, a weight of exactly one full scale value was applied or removed to rescale the instrument. Enough weights for forty full span steps had been provided. The capacity of the balance was 100 gm. The zero stability of the instrument was fairly good.

The sample under investigation was suspended from the hook under the left pan of the balance. A platinum wire was used for suspending the specimen. In order to keep the wire straight, it was surrounded by a quartz sheath, and care was taken that it did not touch the outer quartz tube as shown in Fig. 2.1. In order to hang the sample a small hole was drilled at the centre of the one edge of the




Fig. 2.1 Reaction chamber and wt. recording unit.

specimen. The length of the pl:itinum wire was so chosen that the suspended sample was always in the predetermined uniform temperature zone.

The furnace used during investigation, consisted of the winding of a 22 gauge nichrome wire upon 3.5 cm sillimanite refractory tube. The overall resistance of the winding was around 50 ohms. The temperature in the uniform zone of the furnace was controlled within $\pm 2^{\circ}$ C with the help of a temperature controller as shown in Fig. 2.1 The reaction tube consisting of a quartz tube was connected to the balance through a brass flange with 0-rings.

A calibrated chromel-alumel thermocouple was used to record the temperature of the furnace. The junction of the thermocouple was kept as close as possible to the specimen in order to record its temperature as accurate as possible.

The furnace was rested on a screw-jack which could be moved up or down very smoothly when desired.

During the oxidation in oxygen environments, the system was thoroughly evacuated to a pressure approximately 10^{-3} torr, with the help of a mechanical pump. After that the oxygen gas was introduced into the system. The gas from the cylinder was first passed through a solution of sulphuric acid in order to remove moisture, followed by a

long tube containing soda-asbestoes granuals (14-20 mesh). Latter was used in order to get rid of carbon dioxide which is usually present in commercial oxygen cylinders. U-tube manometer shown in Fig. 2.2 (Schematic of gas-train) was used to observe the oxygen pressures. Since most of the runs were carried out at 1 atm pressure of oxygen, thus oxygen gas was passed into the system till the mercury in the two limbs of manometer showed equal level. Oxidation experiments were carried out at various oxygen pressures. In these experiments, the oxygen pressures were read from the difference in the levels of mercury in the two limbs of manometer. For carrying out experiment in oxygen-water vapour mixture, an additional bath (shown by No. 11 in Fig. 2.2) containing distilled water was added into the system. The gas after purification was bubbled into this bath which was maintained at constant temperature of 32°C. This gave the oxygen gas saturated with about 5 pct. water vapours. One oxidation run was carried out by bubhling oxygen gas through water maintained at 40°C. This gave a saturation of about 10 pct. water vapours.

Purification step was not required during the oxidation runs in air atmosphere.

To start the experiment, first step was to adjust the zero and check the sensitivity of the balance. This




Fig. 2.2 Gas train (schematic)

was done according to the instructions provided in operating manual. It was found that the zero adjustment and senstivity were unaffected even after 30-40 oxidation runs. Next step was to suspend the specimen on the right pan of the balance, through a hook provided on the lower side of it. Weights slightly less than the total weight of wire, quartz sheath and specimen were kept on the right pan of the balance. This difference in the weight of the two pans of the balance was adjusted by the rider weights. After the gas was passed in the system as discussed above. When the furnace reached the desired temperature, it was raised to a level by adjusting the screw jack, so as to bring the specimen in the uniform temperature zone. Once this was over, the recorder was set on to record the continuous weight gain with time.

2.5 Examination of Oxidation Froducts:

Oxidation runs were carried out both for very short as well as long durations. For electron microscope examinations, oxidation was carried for as short as 30 seconds duration. Most of the runs were carried out for ten hour duration. For metallography and x-ray diffraction the samples were oxidised for about twenty hour duration. Once the oxidation for a desired period was over, the furnace

was lowered and sample was allowed to cool to room temperature. Weight of the specimen was checked on a separate microbalance after its removal from the pan. The physical appearance, nature of oxide layer etc. were being noted at the same time.

Reaction products were examined by Metallography, X-ray diffraction, SEM and EDAX. Optical microscopy revealed the, oxide layer thickness, number of oxide layers and edge effect. For this, sample after oxidation was mounted in an epoxy-resin in such a way that the cross-section of the specimen could be exposed. This was then polished up to velvet cloth where suspension of alumina particles were used as abrasives. Thus cross-section of the specimen was observed.

Scanning electron microscope pictures were taken for air oxidised specimens. With the help of this, it was possible t differentiate the various oxide layers, which was not possible in optical microscopy.

Concentration profiles for the constituent elements were determined throughout the oxide layer using EDAX. Only air oxidised samples were used for this purpose.

To determine the composition of oxide layer, X-ray analyses were carried out. X-ray diffraction runs were carried out using copper target. The oxide layers were

stripped off either mechanically or by chemical dissolution technique. These layers were crushed to powder form and mounted in a specimen holder made of pyrex. X-ray diffraction runs of some known oxides were also taken. Thus by matching the peak intensities, the oxides were identified.


A few specimens, which were oxidised for a very short duration, so that the oxide layer was thin enough to transmit the electrons, were studied using electron microscope. The oxide layer was stripped off using dissolution technique, and was seen in microscope. Both surface topography and electron diffraction pictures were taken.

CHAPTER 3

THERMOGRAVI METRY

Thermogravimetry is a technique whereby a sample is continuously weighed as it is heated at a constant rate. The resulting weight gain vs temperature curve can provide three basic areas of quantitative information, (1) change in composition, (2) range of thermal stability and (3) evaluation of kinetic parameters. Present work emphasises the utility of last one.

The application of TGA to the determination of process kinetics is of extremely valuable, since from one dynamic temperature experiment one can often derive data which would require a much longer period of time under isothermal conditions. At any temperature (or time) on the TGA thermogram both sample weight and the rate of weight loss are available from the record, thus providing all the information required for kinetic calculations. In present work however, such approach is not employed. Isothermal runs were taken at various temperatures using a thermobalance in order to determine process kinetics. However, one such dynamic temperature experiment was carried out on powdered steel sample, on a derivatograph. Simaltaneous TGA and DTA plots obtained are shown in Fig. 3.1. Heating rate was 10° per minute.



Simaltaneous TGA and DTA curves

and experiment was carried out from room temperature to 1000° C. Upper curve shown in fig. is for DTA and lower one for TGA. Since the reaction was carried out in air, thus only reaction possible was oxidation. It is clear from the TG curve that, there is no oxidation below 500° C and above this weight gain increases tremondously. Since, almost all weight change processes absorb or release energy and are thus measurable by DTA. The corresponding peak in DTA curve, where weight gain occurs in TG curve, indicates the formation of an oxide. Few small humps below 500° C may be due to some tarnishing etc. on the surface of alloy.

Isothermal runs were carried out in air, dry oxygen, oxygen-water vapour mixture from a temperature 500°C to 1000°C . Description of the samples employed in this investigation is given in tables 1 to 4 in Appendix-1. The samples have been classified in four categories, based on the type of environment used. Those oxidised in air were designated by numbers, 1,2,3...etc., those oxidised in oxygen were designated by Roman numerals, I, II, III etc. and those oxidised in oxygen water vapour mixture were designated as W₁, W₂ ... etc. Table 3A gives the details of specimens which were oxidised at various oxygen pressures and were

designated by P₁, P₂ ... etc. These tables summarize the basic information about specimens i.e. surface area, thickness, temperature of oxidation, duration, final weight gain in mg/mm² and physical appearance of sample after oxidation.


Thermogravimetric data for the various samples have been given in tables 5 to 8 in Appendix 1. These data have been plotted in Fig. 3.2 to 3.4 as graphs of weight increase as a function of time. It is very difficult to gether information about oxidation laws from these linear plots. Thus in order to know the oxidation laws, one starts with a very general equation:


$$(\triangle W)^n = kt$$


where \triangle W is the weight gain with time t, n is known as the power index which tells about the particular rate law and k is the rate constant. If n=1, rate is linear, if n = 2, it is parabolic and so on. Above equation can be written after taking logs on both side in following manner:


 $n \ln \angle M = \ln t + \ln k$


Thus a linear plot of ln AW vs lnt can give a straight line, the slope of which will give the value n. Figs. 3.5 to 3.7 show such plots for oxidation in air, oxygen and oxygen-water vapour mixture. The information obtained from these curves is summarized in tables 3.1 to 3.3.














Table 3.1 $\mbox{Variation of m and k according to equation}$ ($\mbox{$\triangle W$})^n = \mbox{$kt$ for air oxidation}$

| Tempera- ture of exidation | Time interval for which 'n' holds | Value of 'n' | Value of rate constant | |
|----------------------------------|---|--------------|--|--------------|
| 500 | 0-100 min 100 min | 1.4 | 4.8x10 ⁻⁴ mg mm ⁻² min ⁻¹ | log |
| 600 | 100 '' | (log) | 1.0x10 ⁻³ '' | T. Committee |
| 700 | 30 '' | 1.7 | $3.5 \times 10^{-8} \text{ mg}^2 \text{ mm}^{-4} $ \min^{-1} | Parabolic |
| 800 | 30 '' | 1.6 | 2.5x10 ⁻⁷ '' | ng angunaran |
| 850 | 0-60 '' | 1.17 | _ | cubic |
| | 60 '' | 2.7 | | |
| 900 | 0-90 '' | 1.5 | _ | * |
| | 90 '' | 3 | _ | 7 |
| 950 | Throughout | 1.3 | 8.66x10 ⁻⁵ mg mm ⁻² min ⁻¹ | linear |
| 1000 | 0-100 min 100-300 '' 300 '' | 1.3 | 2.9x10 ⁻⁴ '' | , |

Table 3.2 . Variation of n and k according to equation $(N)^n = kt$ for oxidation in oxygen

| Tempera- ture of oxidation | Time interval for which 'n' holds | Value of n | Value of parabolic rate constant mg ² mm ⁻⁴ min ⁻¹ |
|----------------------------------|-----------------------------------|--------------------------|---|
| 700 | 0-180 min 180 '' | 1.5 2.75 | 9.96 x 10 ⁻⁸ |
| 800 | 0 - 650 '' | 1.78 3 | 2.9×10^{-7} |
| 900 | 0-350 '' 350 '' | 2.3 7 | 8.lxl0 ⁻⁷ |
| 950 | 0-20 20-100 | 1.7 2.35 | 2.3x10 ⁻⁵ |
| 1000 | 0-20 20-240 240-360 360 | 1.7 2.4 0.5 2.0 | 6.5x10 ⁻⁵ |

Table 3.3 Variation of n and k according to equation $(\triangle W)^n = kt$ for oxidation in oxygen water vapour mixture


| Tempera- ture of oxidation C | | Value of | Value of parabolic rate constant (mg ² mm ⁻⁴ min ⁻¹) |
|---------------------------------------|-----------|----------|--|
| 650 | 0-45 min | 1.1 | 1.3x10 ⁻⁷ |
| | | 5 | |
| 750 | 0-700 '' | 1.75 | 7 |
| | 700 '' | | 3.5x10 ⁻⁷ |
| 850 | 0-240 | 1.9 | 6.lxl0 ⁻⁷ |
| | 2,8 '' | 2.8 | |
| 950 | 0-40 '' | 1.5 | <i>r</i> |
| | 40 '' | | 4.78×10^{-6} |
| 1000 | 0-70 '' | 1.95 | 17.0 x 10 ⁻⁶ |
| | 70-300 '' | 1.3 | 17.0 x 10 |
| 3 | 300-360 | • 5 | |
| | 360 | 2 | |
| | | | |


Double logarithmic plots may accordingly appear to be convenient method of evaluating 'n', which has values of 1,2,3 for linear, parabolic and cubic oxidation respectively. However, the scale in such plots becomes increasingly compressed with increasing value of (A.W) For this reason such plots tend to suggest linear relationship between ln (\(\Delta \) and lnt, and changes in rate equations and mechanisms are not easily identified. confirming the rate laws, proper rate equation must be recognised. Thus if the information obtained from double log plots, suggests that the rate is parabolic it must be confirmed by plotting $(\Delta W)^2$ vs time plots. Fig. 3.8 and 3.9 show such plots for oxidation in air and, oxygen and oxygen-water vapour mixture. These figures clearly show that rate follows parabolic behaviour up to the time indicated by double log plots, after that some other rate law takes over. Similarly Fig. 3.10 indicates curve showing that oxidation law is logarithmic upto 650°C in air and oxygen.


3.1 Effect of Temperature and Time:

3.1.1 Oxidation in air: In air the oxidation is very small at low temperatures. As indicated in table 3.1, initial oxidation upto 600°C is linear for about 100 min and becomes

CENTHAL LIBRARY










FIG. 3·10 Int vs Δm plot for 2·5 Cr-1Mo steel in air and oxygen

logarithmic afterwards. At 700°C and 800°C true parabolic behaviour is shown which is further confirmed by the $(\Delta W)^2$ vs t plot. A break at very small time can be explained by the fact that rates are not generally parabolic near zero time. At 850° and 900°C, rate is linear for an initial small period and then becomes cubic. Linear kinetics are observed above this temperature.

3.1.2 Oxidation in dry oxygen


Upto 600°C rate is found to follow logarithmic behaviour. Above this temperature there seems to be a combination of more than one rate law. At all temperatures above 600°C, oxidation starts initially parabolically, then changes mechanism after certain time. This time is large at low temperatures and small at high temperatures. On comparison of rate constants as given in table 3.2, it is clear that the rate of oxidation is about ten times at 900°C and hundred times at 1000°C, than the oxidation at 700°C. At 1000°C, after an initial parabolic oxidation rate, a sudden increase in weight was observed and again the oxidation was found to follow parabolic behaviour i.e. break away type of oxidation was observed.

3.1.3 Oxidation in oxygen water vapour mixture

Oxidation is parabolic at all temperatures in the beginning, but changes over to some other rate law after some time. Rate of oxidation is faster at high temperatures. On observing the rate constants given in table 3.3, it can be seen that the rate of oxidation at 850°C is about four times faster than at 650°C and that at 1000°C, it is about 100 times faster than at 650°C. At 1000°C, a similar behaviour as found in case of dry oxygen was observed.

3.2 Effect of Surface Finish:

Since oxidation is essentially a surface phenomena, the surface finish of the specimen may affect the oxidation rate. Since large number of specimens were used in the tests, specimens polished upto 4/0 finish using emery paper were used throughout the experiments. In order to observe the effect of surface finish an oxidation rate in air, some of specimens were polished up to different surface finish. Details about the sample preparation is given in table 2 in the Appendix-1. Fig. 3.11 gives the plot of weight gain vs time for these samples. The results indicate that the oxidation rate is more for a rough surface than for a fine one. An electropolished surface had the lowest



rate which is quite obvious as it provides a stable (stress free) surface. The results are in agreement with that reported by various workers (1,2,3).

3.3 Effect of cold work on oxidation rate:

While preparing samples for oxidation tests, by abrading, lot of cold work is introduced. In order to observe the effect of this, on oxidation rate, some of the cold rolled strips (discussed in chapter 2) were first annealed at 850°C and then the samples were cut and polished upto 4/0 emery finish and used for oxidation. These samples were termed as cold worked samples and their oxidation rate was compared with the annealed specimens. The oxidation was carried out for these two types of specimens in air at temperatures 650°C, 750°C, 850°C and 950°C. Results obtained are indicated in table 3.4. In this table, weight gain measured for cold-worked specimen is compared with that of an annealed one. It indicates that at 650°C where logarithmic law is followed for oxidation the weight gain is more for Lunannealed one. Also there is no significant change for the weight gain for 750°C where oxidation follows parabolic behaviour. These results are in agreement with the reported results by Uhlig4. According to him factors


un-annealed condition.

| | Samo | Some No | Temn of | Total wt | Agin ma/mm Noture | Apixo to an anno who arited | of oxide layer |
|----|----------------------|------------|-----------|----------------------|-----------------------|--|---|
| 1~ | Annid. | Un-annld | 0 | led | Un-anealed |) e | _ |
| | 65 | n N | 650°c | 5.84×10 | 7.36×10 ⁻³ | Dark grey coloured non-adherent (more than un-annealed) | Dark gray coloured highly non-adherent (loose) oxide layer |
| | 64 | 99 | 750°c | 2·17×10 ² | 2.10x 10 ² | Dark grey coloured adherent, very uniform, smooth oxide layer | Same—except the degree of uniformity and smoothness is less |
| | 99 | 2 | 850°c | 122 | .275 | Grey coloured uniform oxide layer | Same—except the smoothness and unifomity is less |
| | 6 9 | œ | 950°c | -369 | 392 | Dark black coloured thick non— uniform oxide layer with white patches | Same as in annealed sample |
| J | × | x Duration | of the ox | oxidation was | 18 hrs. | in all the tests | |

like heat treatment and cold working are not important when oxidation is controlled by diffusion of reactants from the environment and are most important, when reactions occur at metal surface. It is well known that parabolic law is diffusion controlled while in logarithmic behaviour reaction occurs at the surface. The decrease in weight gain for cubic law as indicated in table 3.4 for 850°C cannot be explained by above angument. But according to Kofstad⁵ a cubic law is combination of parabolic and logarithmic law, thus according to Unlig's (4) argument, slight increase of rate at 850°C is justified. At 950°C a small change in weight gain of the annealed sample over the unannealed one, can not be explained, due to lack of our knowledge about the processes occuring during linear range.

3.4 Effect of oxygen pressure:

Rates of oxidation of metals and alloys may exhibit varying oxygen pressure dependence according to the ratedetermining mechanism. Present work demonstrates the oxygen pressure dependence of 2.5 Cr - 1 Mo steel carried out at 800°C. Oxygen pressure as low as 240 mm Hg was tried. Details are given in table 3A in Appendix-1. The weight gain vs time plots are shown in Fig. 3.12, which shows clearly that as the pressure decreases the oxidation rate



(mg/mm²)


MV


different oxygen pressure

decreases. For parabolic oxidation, according to wagner, the oxygen pressure dependence can be expressed as $P_{0_2}^{1/n}$ for p-conducting scales, where n is determined by the charge on the migrating defects, while growth of n-conducting scales is independent of pressure. Thus a plot of ln \mathbb{Z}^{W} vs $\ln p_{0_2}$, shown on the left corner of the same graph, gives a value of n = 2 which means that the scale may be p-conducting and the migrating species having a charge of 2. Thus the possibility of a p-conducting scale cannot be ruled out at this temperature.

3.5 Reproducibility of thermogravimetric results:

Almost all the runs were carried out in duplicates. It was observed that each run was fairly reproducible in the initial tages. The two curves used to overlap in the beginning, but as considerable time elapsed, some separation was observed. There was about 5 to 10 pct. deviation in final weight gain in few samples. This is illustrated by an oxidation run at 1000°C in oxygen. Weight gain curves for both the samples are shown in Fig. 3.14 by la an lb. In the initial stages, both the curves are overlapping but the gap between the two widens as the oxidation proceeds for longer times. But in both cases, the sudden weight gain i.e. breakaway point is same that is at 352 seconds. This





oxygen-water vapour vapour mixture is parabolic initially and changes to some other law later on.

Oxidation in oxygen-water vapour mixture is more at all temperatures than the oxidation in dry oxygen. A comparison in weight gain observed in 10h duration in these environments indicates that this weight gain is about three times higher at 750°C, 1.7 and 1.2 times higher at 850°C and 950°C respectively.

Influence of moisture content on oxidation rate was also carried out. While all the runs in oxygen water vapour mixture were carried out by saturating oxygen gas with 5 pct. water vapours, one run was carried out by saturating it with 10 pct. water vapours. The plot of this run is shown by curve II with dotted marks in Fig. 3.3. One can see the tremendous increase in oxidation rate.

The results at 1000°C are quite interesting. The oxidation rate in air is much more than either in dry oxygen or oxygen-water vapour mixture. From tables 3.1 to 3.3 one can observe that while in both dry oxygen and oxygen-water vapour mixture initially the oxidation occurs parabolically but in air it starts linearly for about hundred minutes or more. After this initial period in all the three cases, a

rise in weight gain appears, this region is slown by

a 'n' value of .5 in all the three environments. While this region is quite long in air, smaller in oxygen-water vapour mixture and least in dry oxygen. The oxidation in last two cases i.e. in dry oxygen and oxygen water vapour mixture be termed as breakaway type of oxidation as this sudden increase is observed after an initial protective layer formation, while in air it is termed as catastrophic oxidation. According to Lesilie and Fontana such type of behaviour is expected at high temperatures for most of the alloys which contain Mo, even in very small quantities.

Reported results for iron-chromium alloys indicate that the oxidation in air is lower than that in pure oxygen. Present work, however shows that the oxidation in air of 2.5 Cr - 1 Mo steel is more in air than in oxygen. This may be due to the fact that the experiment was carried out in laboratory air without removing impurities and moisture.

High oxidation rate in moist oxygen over that in dry oxygen are in agreement with the reported results of some workers 9-11 for iron and iron-chromium alloys while others 12,13, indicate either no change or reduction in rate. Rahmel 14 reported that for pure iron at 750°C, the oxidation rate is not influenced by the presence of water vapours, but the scaling rate increases 1-2 times at 850°C

and 1.6 times at 950°C in the presence of moisture.

3.7 Activation Energies:

The Arrhemium plot for both the results in oxygen and oxygen-water vapour mixture is shown in Fig. 3.15.

Activation energy for air in parabolic range was calculated using temperature dependence of Arrheniuus equation:

$$\triangle E = \frac{R T_1 T_2 \ln K_1 / K_2}{T_1 - T_2}$$

where K₁ and K₂ are the values of parabolic rate constants at temperatures T₁ and T₂. Values of K₁ and K₂ are given in table 3.1 at 1023°K and 1073°K. The activation energy so calculated was 35.5 Kcal/mole (148.7 KJ/mole). The activation energies for oxidation in oxygen and oxygen-water vapour mixture determined from the plots shown in fig. 3.15 are 24.0 Kcal/mole (100.5 KJ/mole) and 15.4 Kcal/mole (64.5 KJ/mole) respectively. These activation energies can be applied in temperature range 700-900°C in oxygen and 650-850°C in oxygen water vapour mixtures as the points for rate constants above this temperature are highly scattered as shown in the Fig. 3.15. The value of activation energy calculated in the temperature range 900-1000°C comes to be same in both environments i.e. 80.0 Kcal/mole (335 KJ/mole).




FIG 3-15. Temperature dependence of rate constant

Since the activation energies are different in the three environments, the mechanism of oxidation is expected to be different in these cases. Activation energies above 900°C in both oxygen and oxygen-water vapour mixture is same, thus the mechanism of oxidation at these temperatures may be the same. Further discussion in this respect is restricted in this chapter, as the results of oxidation products are yet to be explained.

The activation energy calculated in the linear range of the oxidation in air is found to be 99 Kcal/mole (414.6 KJ/mole). It is difficult to account for this high value due to the lack of our knowledge about the processes occuring during reaction. However, this high value may be associated with the phase boundary reaction as controlling step after rupture of initial oxide scale. The rupture of scale occurs after certain stress is built.

The activation energies associated with other rate laws in this investigation corresponding to other values of n, given in tables 3.1 to 3.3 cannot be easily related to the processes occuring during the reaction, because mechanisms for such processes are not well understood.

The values of activation energies of oxidation for this particular alloy are not available in literature, hence a comparison could not be made.

References:

- 1. V.V.Ipatev et al. Uchenye Zapiski Lenigr. Goaundarst Univ., 175, Ser. Khim. Nauk, 14, 88 (1954) Chem. abst. (51) 4240e (1957).
- 2. D. Caplan and M. Cohen, Corr. 15, 141t (1959).
- 3. D. Caplan et al., J. electrochemical Soc. 108, 1344 (1961).
- 4. H.H. Uhlig., Corr. 19 (1963) p. 231-237.
- 5. Per Kofstad, 'High Temperature Oxidation of Metals' P 16.
- 6. J. Romanski, Corr. Sc. 8, 67 (1968).
- 7. W.C. Lesila and M.G. Fontana, Trans. ASM, 41, 1213 (1949).
- 8. G.C. Wood, Corr. Sc. 2, 173 (1961).
- 9. D. Caplan and M. Cohen, Corr. 15, 57 (1959).
- 10. C.T. Fujii and R.A. Meussner, N.R.L. Rept. 5506, 1960.
- 11. J. Benard et al., Z. Elektrochem., 61, 59 (1957).
- 12. W.I. Tikhomirov et al., Ber. Akad., Wiss, USSR, 95, 305 (1954).
- 13. J. Weber, Corr. Sc. 16, 499 (1976).
- 14. A. Rohmel and J. Toboski, Corr. Sc. 5, 333 (1965).
- 15. Per Kofstad, 'High Temperature Oxidation of Metals' p. 233-234.

CHAPTER 4

EXAMINATION OF OXIDATION PRODUCTS

4.1 Physical Features:

Last coloumn of the tables 1 to 4 in Appendix 1 lists the physical features of the oxide films observed on the various steel samples.

The oxide film formed in the initial stages was bright violet in colour. A sample which was just dropped in the reaction tube maintained at 800°C, for few seconds and removed appeared bright violet in colour. A comparison of this colour to the colours of the various oxides listed in Appendix 2 suggests the possibility of Cr_2O_3 layer. In air, the oxide film formed at 600°C for 20h duration appeared light grey in colour. Air-oxide oxide film formed in oxygen water vapour mixture at 650°C for 20h duration appears black in colour, suggesting the possibility of FeO or Fe_3O_4 . Air oxide film formed at 1000°C appeared to be bluish-black in colour, while that formed in oxygen and oxygen-water vapour mixture appeared brownsish-black in colour.

The scale appeared to be loose and blistered at low temperatures. Adherence was very poor at these temperatures. It used to fall off during the unloading of specimen.

On the other hand scale formed at high temperature was quite thick and had better adherence to the alloy. Oxide films formed for short durations at low temperature appeared quite uniform, smooth and highly adhering to the surface. Oxide films from such samples were removed by the dissolution technique. A 5 pct. Br₂ solution in methanol was used for this purpose. It does not affect the oxide scale, but can dissolve the matrix. Fig. 4.1 shows three samples, finally polished specimen ready for oxidation studies is shown on extreme left, oxidised specimen with oxide layer intact on its surface, in the middle, and on extreme right is shown a sample who se oxide layer had been stripped off using dissolution technique.



4.2 Optical Microscopy

Figs. 4.2 to 4.20 show the micrographs for the cross-section of various samples taken on an optical microscope. Magnification for each micrograph is given on the right corner.of the fig.

Fig. 4.2 to 4.4 compares the scale thickness formed in air at temperatures 750°C, 850°C and 950°C for 18h exposure. Thus the results are in agreement with the thermogravimetric results, that the oxidation increases with increase in the temperature of oxidation. Fig. 4.8 to 4.10 and 4.13 to 4.16 in a similar fashion compare the oxide scale in oxygen and oxygen water vapours respectively. Oxide scale at 850°C shown in fig. 4.13 is thicker than the oxide scale at 950°C shown in fig. 4.14. This is because former was oxidised in oxygen 10 pct. water vapoursand latter in 5 pct. water vapours. The results are in agreement with those obtained during thermogravimetric investigations.

Fig. 4.5, 4.6, 4.11, 4.12, 4.16 and 4.17 show the edge effect. Micrograph shown in fig. 4.7 depicts the catastrophic oxidation at 950°C. This again confirms the results by thermogravimetric investigations that rate of oxidation is very fast at this temperature and occurs linearly.

Micrographs stown in figs. 4.12A, 4.18 to 4.19 show the oxide scale at higher magnification. Although much information cannot be gathered from these micrographs except the oxide layer thickness and number of oxide layers formed. Fig. 4.4 indicates that oxide scale formed in air at 950°C consists of three layers and that 850°C consists of two layers. In oxygen environment as shown by fig. 4.8 to 4.10 the scale appears to be single layered only while in oxygen-water vapour mixture it appears to be of two layers.




Fig. 4.2 Cross-section at 750°C



X 66

Fig. 4.3 Cross-section at 850°C



Fig. 4.4 Cross-section at 950°C




Fig. 4.5 Edge effect at 850°C




Fig. 4.6 Edge effect at 950°C



X66 Fig. 4.7 Necking portion at 950°C




Fig. 4.8 Cross-section at






Fig. 4.9 Cross-section at



X66



X66 Fig. 4.10 Cross-section at 950°C Fig. 4.11 Edge effect at 850°C



X66 Fig. 4.12 Edge effect at 950°C






Fig. 4.12A Oxide layer at 950°C



Cross-section at



4.14 Cross-section at



Fig. 4.15 Cross-section at 1000°C Fig. 4.16 Edge effect at 850°C




Fig. 4.17 Edge effect at 1000°C



Fig. 4.18 Oxide layer at 850°C



X266



X132

4.3 Scanning Electron Microscopy:

Air oxidised scales were studied using SEM.

Fig. 4.21 shows a micrograph for the cross section of a sample at 950°C. Corresponding optical micrograph was shown in fig. 4.4, which revealed that oxide scale consists of three layers. But the SEM micrograph clearly indicates that the scale consists of a single layer and the black lines seen in the scale are cracks. These cracks are further shown more clearly at a higher magnification in fig. 4.22.

Catastrophic oxidation at 950°C is very clearly shown in fig. 4.23. In this figure the necking portion is focussed. Fig. 4.24 shows this necking portion at much higher magnification. This photomicrograph reveals how porous is the oxide layer and how loosely it is attached to the matrix.

Fig. 4.25 reveals the SEM photograph of the oxide scale at 850°C. It confirms the information revealed by optical micrograph that the scale at this temperature consists of two layers.




Fig. 4.21 Oxide layer at 950°C




Fig. 4.22 Oxide layer at 950°C






Fig. 4.23 Necling portion







X640

4.4 EDAX (Energy Dispersive X-ray Analysis:

Concentration profiles for the constituents of the alloy were taken throughout the scale thickness on air oxidised samples. These are shown in fig. 4.26-4.28 for the oxide scale at 950°C, 850°C and 750°C. Intensity vs energy plots have been shown at various spots throughout the scale thickness. The E values where the peaks for $Fe(K\alpha)$, Mo(L α) and Cr(K α) appears are 6.40, 2.29 and 5.41 KeV respectively. In fig. 4.26, plot a reveals the concentrations of Cr, Mo and Fe on the unattacked matrix. Plot b was taken very near to the matrix and plots c and d were taken 160 µ and 300µ away from the matrix. Thus it appears that the concentration of the various constituents are not same throughout the scale, though a single uniform scale is shown by SEM micrograph. This result reveals that chromium is concentrated near to matrix As oxide thickness increases it is mainly the iron in the scale. In other words we can say that chromium diffuses to the matrix and Fe towards the oxide scale. Thus more and more iron is available oxidation.


At 850°C, SEM micrograph shows two distinct layers. EDAX analysis shows that the inner layer (fig. 4.27b) is rich in both chromium and iron and hence this layer may be due to some mixed oxide of iron and chromium. In outer






a

Ь







C

d


FIG.4.24EDAX analysis of oxide layer at 950°C.






a

b







C

d


FIG.4-27EDAX analysis of oxide layer at 850°C






a

ì





C

a

FIG.4.4EDAX analysis of oxide layer at 750°C

layer Cr is present just on the boundary of two layers. While it is mostly iron afterwords. Thus the second layer must be an oxide of iron only.

At 750°C, oxide scale was found to be only 25µ thick as compared to 300µ thick at 850°C. Oxide scale at 950°C was thicker than at 850°C but could not be measured accurately, as it spalled off during mounting and polishing. EDAX results are shown for oxide scale at 750°C in fig. 4.28. This indicates that the scale is rich in iron mainly, but small concentration of chromium are present near to the matrix.

4.5 X-ray Diffraction Analysis:

X-ray diffraction runs were taken for number of samples. Table 4.1 gives the detail for various samples analysed. Coloumn one gives the sample details, coloumn two gives the 20 values for various peaks observed during the diffraction run. Corresponding 'd' values have been listed in third coloumn and the pct. intensity ratio in 4th coloumn. These 'd' values have been compared with those listed in the X-ray diffraction data files and hence the corresponding compound was identified. Appendix 2 lists the 'd' values for some of the important compounds useful for this analysis. Coloumn five in this table names the most appropriate compound

identified. It is necessary to add here, that the oxide layers formed are not the compound of a single constituent. It can be either a mechanical mixture of two or more compound, a mixed oxide, a solid solution, or an impure oxide i.e. an oxide who ose lattice positions have been occupied by other elements. Since the X-ray Diffraction data file lists the 'd' values for only pure compounds, hence an exact peak to peak match was not possible. The results that have been suggested in the fifth coloumn of the table have been obtained by matching the important peaks of the compound identified. Further on arriving at these results, the information obtained already from optical and SEM was utilised.

At 750° C air oxide film is made of $\alpha\text{-Fe}_2\text{O}_3$ only. This are in agreement with EDAX results where it was shown that scale mainly consists of iron only. Since small concentration of chromium were detected in the scale hence the oxide Fe_2O_3 is not pure one, but an impure one i.e. some Cr may have replacedFe in the Fe_2O_3 lattice. That is the reason why there is slight shift in the main peaks for $\alpha\text{-Fe}_2\text{O}_3$.

At 850° C, x-ray result indicate the presence of $(\text{Fe,Cr})_2\text{O}_3$ and $-\text{Fe}_2\text{O}_3$ in the scale. This is again in agreement with EDAX and SEM results. Thus the inner layer may be of $(\text{Fe,Cr})_2\text{O}_3$ and outer layer of $-\text{Fe}_2\text{O}_3$.

Table 4.1

| Sample Detail | 2 0 | Corres- ponding 'd' value | Intensity | Compound(s) Identified |
|------------------|----------------|---------------------------------|-----------|----------------------------------|
| No. 69 | 28.4 | 3.1399 | | α-Fe ₂ 0 ₃ |
| | 29.2 | 3. 0557 | 40 | - / |
| Temp. | 30.5 | 2.9283 | | |
| 750°C | 32.8 | 2.7281 | 100 | |
| | 35.2 | 2.5474 | 60 | |
| | 44.4 | 2.0385 | 20 | |
| | 53.8 | 1.7025 | 70 | |
| | 62.2 | 1.4912 | 30 | |
| | 63.4 | 1.4659 | 30 | |
| No. 12 | 22.8 | 3.8969 | | |
| Temp. | 24.0 | 3.7047 | 30 | $(Fe,Cr)_2O_3$ and |
| 800°C | 30.2 | 2.9568 | 30 | -Fe ₂ 0 ₃ |
| | 32.2 | 2.7775 | 20 | |
| | 33.2 | 2.6961 | 50 | |
| | 35.6 | 2,5196 | 100 | |
| | 43.0 | 2.1016 | 30 | |
| | 49.5 | 1.8398 | 40 | |
| | 54.2 | 1.6909 | 55 | |
| | 62.3 | 1.4890 | 60 | |
| | 64.0 | 1.4535 | | |
| | 73.0 | 1.2949 | | |

| Sample Detail | 20 | Corres- ponding 'd' value | Intensity | Compound(s) identified |
|--------------------|------|---------------------------------|-----------|----------------------------------|
| No. 26 | 24.5 | 3.6302 | | (Fe, Cr) 203 and |
| Temp. | 30.2 | 2.9568 | | -Fe ₂ 0 ₃ |
| 850°C | 32.4 | 2.7608 | 30 | , |
| | 33.6 | 2.6649 | 80 | |
| | 36.1 | 2.4859 | 100 | |
| | 49.0 | 1.8574 | | |
| | 50.0 | 1.8226 | | |
| | 54.5 | 1.6822 | 50 | |
| | 56.4 | 1.6300 | | |
| | 62.9 | 1.4763 | 55 | |
| | 64.5 | 1.4434 | 80 | |
| | 66.0 | 1.4143 | | |
| | 70.2 | 1.3395 | | |
| | 72.4 | 1.3042 | | |
| No. 58 | 27.9 | 3.2018 | | α-Fe ₂ 0 ₃ |
| Temp. | 33.2 | 2.7120 | 80 | |
| 950 ⁰ C | 35.6 | 2.5190 | 95 | |
| | 40.8 | 2.2077 | 30 | |
| | 54.0 | 1.6966 | 50 | |
| | 62.4 | 1.4869 | 65 | |
| | 63.8 | 1.4568 | 100 | |

| Sample Detail | 20 | Corres- ponding 'd' value | Intensity | Correspond(s) Identified |
|------------------|------|---------------------------------|-----------|--------------------------------|
| No. XXVI | 30.1 | 2.9664 | | · |
| Temp. | 33.4 | 2.6804 | 40 | |
| 600° C | 36.0 | 2.4926 | | |
| | 40.3 | 2.2360 | 80 | |
| | 45.0 | 2.0127 | 100 | |
| | 54.0 | 1.6966 | 30 | |
| | 65.2 | 1.4912 | 35 | |
| No. 88 | 24.8 | 3.5870 | | Cr ₂ 0 ₃ |
| Temp. | 30.4 | 2.9377 | | |
| 800°C | 32.8 | 2.7281 | | |
| | 33.8 | 2.6496 | 100 | |
| | 36.2 | 2.4793 | 95 | |
| | 41.4 | 2.1791 | 40 | |
| | 50.0 | 1.8226 | 50 | |
| | 54.6 | 1.6794 | 60 | |
| | 62.0 | 1.4955 | 40 | |
| | 63.5 | 1.4638 | 30 | |
| | 71.7 | 1.3152 | | |

| Sample Detail | 2 0 | Corres- ponding 'd' value | Intensity | Compound (s) Identified |
|--------------------|----------------|---------------------------------|-----------|---|
| No. IV | 25.5 | 3.4901 | | Fe ₂ 0 ₃ , Cr ₂ 0 ₃ |
| Temp. | 26.5 | 3.3606 | | |
| 900 ⁰ C | 29.0 | 3.0763 | | |
| | 31.0 | 2.8823 | | |
| | 32.4 | 2.7608 | 30 | |
| | 33.4 | 2.6804 | 100 | |
| | 35.9 | 2.4993 | 85 | |
| | 41.2 | 2.1892 | | |
| | 49.9 | 1.8260 | 70 | |
| | 54.4 | 1.6851 | 70 | |
| | 62.8 | 1.4784 | 40 | |
| | 64.4 | 1.4455 | 60 | |
| No. XXII | 30.4 | 2.9377 | | |
| Temp. | 32.2 | 2.7775 | | |
| 1000°C | 35.7 | 2.5129 | 80 | |
| | 56.2 | 1.6353 | | |
| | 57.4 | 1.6040 | 40 | |
| | 62.8 | 1.4784 | 100 | |

| Sample detail | 20 | Corres- ponding 'd' value | ıntensity | Compound(s) Identified |
|--------------------|------|---------------------------------|-----------|----------------------------------|
| No. W5 | 24.0 | 3.7047 | | |
| Temp. | 30.0 | 2.9760 | 30 | Fe ₃ 0 ₄ |
| 650 ⁰ 0 | 31.9 | 2.8029 | | |
| | 33.1 | 2.7040 | 70 | |
| | 35.4 | 2.5334 | 100 | |
| | 49.4 | 1.8433 | | |
| | 54.0 | 1.6966 | | |
| | 57.0 | 1.6142 | 40 | |
| | 62.4 | 1.4869 | 65 | |
| | 64.0 | 1.4535 | 30 | |
| No. Wl | 24.6 | 3.6157 | | |
| Temp. | 33.4 | 2.6804 | 70 | FeCr ₂ O ₄ |
| 750 ⁰ C | 35.8 | 2.5060 | 80 | |
| | 50.0 | 1.8226 | | |
| | 54.6 | 1.6794 | 50 | |
| | 58.4 | 1.5789 | | |
| | 58.8 | 1.5691 | | |
| | 59.8 | 1.5452 | | |
| _ | 63.0 | 1.4742 | 100 | |

| Sample Detail | 20 | Corres- ponding 'd' value | Intensity | Compound (s) Identified |
|------------------|------|---------------------------------|-----------|----------------------------------|
| No. W8 | 25.0 | 3.5587 | | FeCr ₂ O ₄ |
| Temp. | 26.2 | 3.3784 | , | - + |
| 850°C | 30.4 | 2.9377 | | |
| | 33.4 | 2.6804 | 95 | |
| | 35.8 | 2.5060 | 100 | |
| | 46.2 | 1.9632 | | |
| | 48.8 | 1.8645 | | |
| | 49.8 | 1.8294 | | |
| | 54.5 | 1,6822 | . 50 | |
| | 57.7 | 1.5963 | | |
| | 62.7 | 1.4805 | 80 | |
| | 64.4 | 1.4455 | 60 | |
| No. W7 | 24.6 | 3.6157 | | |
| Temp. | 30.4 | 2.9377 | | Fe ₂ 0 ₃ |
| 900°C | 32.4 | 2.7608 | 30 | |
| | 33.5 | 2.6727 | 100 | |
| | 35.9 | 2.4993 | 80 | |
| | 50.0 | 1.6794 | | |
| Þ | 54.6 | 1.8226 | 70 | |
| | 63.0 | 1.4742 | 60 | |
| | 64.6 | 1.4414 | 50 | |
| | 72.5 | 1.3026 | | |

At 950° C again the results are in agreement with that predicted by SEM and EDAX results. Shifting in the peaks and missing of some peaks of Fe₂O₃ may be due to the presence of Cr in the lattice of Fe₂O₃.

Oxide layer formed at 600°C in dry oxygen did not match with any oxide or mixed oxide of Fe, Cr or Mo. But it slightly matched with an intermetallic compounds of three element the sigma CrFeMo, whoose 'd' values are given in appendix 2. Possibility of no oxide formation confirms the thermogravimetric investigations that oxygen uptake was very small.at this temperature.

Formation of Cr_2O_3 at 800°C confirms the thermogravimetric results carried out in various oxygen pressures. A $\text{P}_{\text{O}_2}^{\frac{1}{2}}$ dependence on oxygen pressure indicated the possibility of a p-conducting scale. Since Cr_2O_3 is p-conducting, thus results are in agreement. A slight shift in the values of some peaks may be due to the presence of impurities or other oxides.

Oxide layer at 1000° C in oxygen could not be identified clearly, but it appears to be Fe₂0₃.

Formation of ${\rm Fe_3^0}_4$ at $650^{\circ}{\rm C}$ in oxygen water-vapour mixture confirms the results obtained while colour examination. A black layer formed could be of ${\rm Fe_3^0}_4$.

Formation of FeCr₂O₄ at intermediate temperatures seems to be in agreement with the results reported by many workers. FeCr₂O₄ is nothing but [FeC.Cr₂O₃], formation of FeO in oxide scales in presence of moisture is reported by above workers.

At high temperatures formation of Fe₂0₃ as indicated by x-ray results seems to be justified as at high temperatures, since the activation energies are same for both oxygen and oxygen-water vapour mixture, thus mechanism of oxidation should be same.

However much more rigrous analysis is needed to confirm the above mentioned results.

4.6 Electron Microscopy:

Very few samples which were oxidised for very short duration were observed in electromicroscope. Fig. 4.29 shows the surface topography of an air oxidised sample at 500°C for 10h duration. Corresponding electron diffraction pattern is shown in fig. 4.30. Fig. 4.31 shows the topography of an oxide formed in air at 800°C for 15 minute duration. It appeared to be needle like shapes as shown in fig. 4.32. Corresponding electron diffraction pattern is shown in the fig. 4.33.




Fig. 4.29 TEM SILTURE at 500°C





Fig. 4.30 Electron diffraction pattern of oxide layer at 500°C.



800°C




Fig. 4.31 TEM PICTURE at Fig. 4.32 Electron diffraction pattern at 800°C.



000.55 X

Fig. 4.33 Oxide structure at 800°C revealing needle type shape of oxide growth

CHAPTER 5

GENERAL DISCUSSION AND CONCLUSION

So far the results of thermogra-imetric experiments and the examination of the oxidation products have been presented. In this chapter an attempt is made to relate these observations to some suitable mechanism.

It is discussed earlier that the low temperature oxidation follows logarithmic kinetics. There are several mechanisms proposed to explain such behaviour. The best suited to our results is that proposed by $Uhlig^1$ which is applicable to thin films of thickness less than $10,000~\text{A}^{\circ}$. Mott-Hauffe and $Ilschner^2$ proposed a theory which could be applicable to thin films less than $50~\text{A}^{\circ}$. Since the film thickness on the samples in logarithmic range was in the range of $2500~\text{A}^{\circ}$ to $7000~\text{A}^{\circ}$, thus Uhlig's theory is most suitable to explain the mechanism. According to this theory electron transfer at the metal oxide interface determines the oxide growth.

The parabolic oxidation is observed in intermediate temperature range in air, and in initial stages at all temperatures in oxygen and oxygen water vapour mixture. Since the activation energies for parabolic oxidation are different in all three environments, thus the mechanism of the oxidation is

expected to be different in all the three cases. been confirmed by x-ray results which indicate different compositions of oxide scales in three environments. Fe_2O_3 is formed which is an n-type semicondutor hence the mechanism of oxidation is due to the oxygen diffusion to the metal scale interface via vacant anion In case of oxygen oxidation, the scale consists of is Cr_2O_3 which a p-type semiconductor hence the mechanism of oxidation is due to the diffusion of either cation vacancies or of interstitial oxygen ions from the surface to the interface. If the vacancies migrate towards the interior they must accumulate near the metal-oxide interface and eventually precipitate in the form of blisters or Such blisters were observed on the scales formed on samples oxidised in oxygen.

High oxidation rate of the alloy in air can be explained as follows. According to subaschewski³ when an n-type oxide is formed, presence of nitrogen would increase the number of vacant oxygen sites and increase the oxidation rate. Since in air oxidation Fe₂O₃ is formed which is n-type, thus increase in oxidation rate in air is justified. Arkharov and Luchkin⁴ interpreted high oxidation rate of Ti in air (at 1100°C) as compared with that in pure oxygen, due to the formation of TiO₂ which is n-type. both at 1 atm. pressure Chromium oxide on the other hand

is a p-type semiconductor, and in air therefore the rate of scale formation is reduced as compared with oxygen⁵.

Linear oxidation rate at high temperature as observed in air, can be explained by Cabrera-Mott⁶ theory, according to which of an n-type oxide is formed, then this linear rate may be due to the ion transfer in the electric field. Catastrophic oxidation observed at this temperature in air may be explained by the increasing rate of oxidation as time elapses. This increasing rate of oxidation is due to some phase-boundary reaction as explained by Kofstad⁷, after the rupture of the scale. Such rupture of the scale was shown by some of the SEM micrograph.

and oxygen water vapour mixture can be explained by the theory of non-uniform scale. Formation of non-uniform scale, that is porous or cracked scale, is to some extent connected with Pilling-Bedworthwle. This rule is very important for scales in which diffusion of matter is from the surface towards the metal scale interface, for instance for oxides, \(\subseteq \text{of the n-type in which oxygen diffuses via cation anion sites. Here since \(\text{Fe}_2 \text{O}_3 \) is formed at these temperatures, thus the following oxidation mechanism seems to be the most suitable. Oxygen ions diffuse from the surface to the metal oxide interface, where they form new oxide which owing to

Break away oxidation observed in the case of oxygen

its high volume ratio: expands against the resistance the existing oxide layer, and severe biaxial stresses develop which eventually lead to rupturing of film. Simultaneously oxygen dissolves in the metal. Thus an initial parabolic growth turns into a linear one. Such type of observations have already been confirmed by many workers^{9,10} on niobium tantalum alloys.

High oxidation rate in oxygen water vapour mixture is not well understood. Only theory presently available is from Rahmel on oxidation on pure iron. According to this theory, in presence of water vapours a $\rm H_2/H_2O$ mixture is formed in the pores which transports by an oxidation reduction mechanism, oxygen to iron surface. Therefore oxide bridges are built up from the metal to scale which enables the further oxidation of metal without substantial inhibition.

Conclusion

1. Oxidation in air was found to be logarithmic at low temperatures, parabolic and cubic in intermediate temperatures and linear at high temperatures. The oxidation at high temperature was described as the catastrophic oxidation. The activation energy for the parabolic oxidation in air was determined to be 35.5 Kcal/mole.

2. Oxidation in dry oxygen was found to be logarithmic at 600° C for a very short time, after which the rate fell to almost zero. Oxidation above this temperature was parabolic in beginning and switched over to some other law after some time. This initial parabolic range was longer at low temperatures and decreased as the temperature of oxidation increased. Breakaway oxidation was observed at 1000° C. Parabolic oxidation in oxygen could be described by following equation

$$K_p = 0.023 \exp(-24,000/RT)$$

in temperature range 700° - 900° C.

3. Oxidation kinetics in oxygen water vapour mixture were observed to be similar to that in dry oxygen. The oxidation in parabolic range could be described by equation

$$K_p = 6.5 \times 10^{-4} \exp (-15,400/RT)$$

in temperature range 650°C-850°C.

- 4. Oxidation in air was found to be more than dry oxygen at all the temperatures, but lower than that in oxygen water vapour mixture below 850°C.
- 5. Oxidation in oxygen-water vapour mixture was found to be more than that in dry oxygen at all the temperatures.

References

- 1. H.H. Uhlig, Acta metallurgy, 4 (1956) 51.
- 2. K. Haufee and B. Ilschner, Z. Elektrochem. 58 (1954) 382.
- 3. O. Kubaschewski and B.E. Hopkins, 'Oxidation of Metals and alloys' p. 92.
- 4. V.I. Arkharov and G.P. Luchkin, C.R. Acad. Sci., USSR, 83 (1952) (83).
- 5. V.I. Arkharov et al., Fiz. Metal. i. Metalloved, Akad. Nauk. SSSR 5 (1957) 190.
- 6. C. Wagner and K. Grunewald, Z. Phys. Chem. 40 (1938) 455.
- 7. P. Kofstad 'Oxidation of Metals at High Temperatures' p. 233.
- 8. O. Kubaschewski and B.E. Hopkins 'Oxidation of Metals and alloys' p. 40.
- 9. J.V. Cathcart, J.J. Campbell and G.P. Smith, J. Electrochem. Soc. 105 (1958) 442.
- 10. J.V. Cathcart, R. Bakish and D.R. Norton, ibid 107 (1960) 668.
- 11. A. Rahmel and J. Tobolski, Corr. Sc., 5, 333 (1965).

CHAPTER 6 NEED OF FUTURE WORK

Present work is a preliminary attempt towards the understanding of oxidation kinetics of 2.5 Cr - 1 Mo steel in air, oxygen and oxygen-water vapour mixture. However a large number of querries are still unsolved. Hence a good amount of work is needed to understand various concepts more clearly. Some of these are worth mentioning.

- 1. Mechanism of oxidation in logarithmic range is proposed to be due to ion-transfer in electric field. A systematic study in thin film range is needed, in order to understand these processes more clearly.
- 2. Oxidation in parabolic range has been attributed to the diffusion of vacancies, or interstitials through the oxide scale. In the case of complex scales, formed on the to surface, such mechanism is unable explain/the behaviour clearly. Thus an attempt is necessary to develop mechanism where the process of diffusion through complex scales can be explained more clearly.
- 3. Break-away oxidation occurs when a critical thickness reaches, beyond which the cracking or rupture of protective scale appears and this leads to linear oxidation rate. In present work such breakaway point has been found at 1000°C

after an oxidation time of 352 sec. This corresponds to an oxide thickness of 10μ and 25μ in oxygen and oxygen water vapour mixture respectively. Thus experiments should be performed at temperature lower and higher than 1000°C to find out whether breakaway appears when this critical oxide thickness reaches at these temperatures.

- 5. The mechanism of the oxide growth needs to be studied in great detail. For this one has to work in thin film region, where the use of electron microscope, LEED or latest instruments for surface analysis like ESCA, Auger Electron spectroscopy can be of great help.
- 6. The identification of oxide layers using x-ray diffraction method needs further work. A simplified technique is needed to identify often complex scales formed on alloys. Electron probe microanalysis would be of great help.
- 7. Since linear oxidation is pressure dependent, thus remember experiments are needed to be carried out in this range at various air pressures to find out pressure dependence on linear oxidation rate.

APPENDIX 1

TABLE - I

| Sample No. | Temperature | Surface finish | Duration (min.) | Surface Area/Thick- negs mm²/mm | Weight gain | Physical h appearance |
|---------------|----------------|-------------------|-----------------|--|----------------|---|
| 7.5 | 5000 0 | . /2 | | | | |
| 35 | 500°C | 4/0 | 540 | 210 •35 | •00190 | Very thin violet colour oxide layer, highly uniform and adherent: |
| 47 | 600°C | 4/0 | 600 | 120 | .00458 | Dark Grey coloure thin and very loose, layer and |
| | | | . * | •52 | | Brittle oxide layer. |
| 31 | <i>6</i> 50° C | 4/0 | 650 | 143 | .00489 | Dark Grey coloure |
| | • 0 | | | . 40 | | thin, very loose be non-brittle oxide layer. |
| 42 | 700° C | 4/0 | 360 | 160 | .00406 | -do- " |
| | | | • | •35 | | |
| 13 | 7 50° C | 4/0 | 450 | 1 61 | .00590 | Light Grey, uniform,adherent |
| • | | | | •35 | | oxide layer. |
| 33 | 850° 0 | 4/0 | 600 | 189 | •0124 | -do- |
| | | | | ■35 | | • |
| 3 4. | 900° C | 4/0 | 480 | 195 | .0164 | -d o- |
| | | | | - 35 | | |
| 38 | 950°C | 4/0 | 360 | 196 | . 126 . | Very light grey, uniform thick, |
| | | | | • 35 | | oxide layer. |
| 40 | 1000°C | 4/0 | 480 | 184 | . 248 | Dark blue-black thick oxide layer |
| | | | | • 35 | | with grey spots surface. |

TABLE - II

| Temperature | Surface finish | Duration (min) | Surface Are thickness mm ² /mm | ea/Weight Cain | Physical appearance |
|-------------|--------------------------------|----------------|---|----------------|---|
| 800° C | Rough Polished (on belt) | 510 | 169 •27 | .0183 | Light Grey, uniform oxide layer. |
| 800° C | 1/0 | 600 | 1 20 •50 | .00864 | Light Grey, uniform cherent oxide layer. |
| 800° C | 1/0 | 39 0 . | 168 •52 | .00922 | -d o- |
| 800° C | Aluming Polished | 600 | 180 •52 | .012 | Very thin, Grey Coloured, non-adhered oxide layer. |
| 800° C | -d o- | 540 | 154 •52 | .009^2 | -d o- |
| 800° C | 4/0 | 600 | 160 •35 | .0103 | Grey coloured, uniform, adherent oxide layer. |
| 800° C | Electro- Polished | 540 | 120 •52 | .0079 | Grey coloured, non-uniformly adherent oxide. |
| | \$ | | | | |
| | | | | | |

Table No. 3

| Sample No. | Tempera- ture C | Dura- tion min. | Surface Area/ Thickness | Weight gain | Physical appearance |
|--|--------------------|-----------------------|-------------------------------|-------------------------------------|--|
| ************************************** | | | mm ² /mm | (<u>A</u> m) mg/mm ² | |
| XXVI | 600 | 360 | 170/0.37 | 2.35xl0 ⁻³ | Surface got tarnished by a very thin, uniform layer, giving viole brownish colour. |
| XXV | 700 | 720 | 170/0.37 | 8.53xl0 ⁻³ | Very thin, highly brittle, light grey coloured oxide layer |
| IVX | 800 | 990 | 180/0.35 | 0.0172 | Dark grey, uniform brittle oxide layer |
| XXIII | 900 | 720 | 170/0.32 | 0.0194 | Light grey thin brittle oxide layer |
| XX | 950 | .600 | 234/0.32 | 0.0257 | ight grey coloured uniform but brittle oxide layer. |
| XXII | 1000 | 600 2 | 212.5/0.375 | 0.099 | Dark black oxide layer, seperating from metal surface as an independent layer. |

Table No. 3A

| Sample No. | Oxygen pressure mm Hg | Dura- tion | Dimensions/ Thickness mm ² /mm | Weigh gain (^m) mg/mm ² | Physical Appea- rance |
|---------------|-----------------------------|---------------|---|-------------------------------------|---|
| P6 | 240 | 560 | 160/0.35 | 0.0118 | Slight tarnishing on the metal surface giving violet linch. |
| Р9 | 360 | 600 | 178/0.31 | 0.0182 | Light grey colour oxide layer uniformly distributed over the surface. |
| PlO | 460 | 600 | 170/0.35 | 0.0173 | A very light grey thin oxide layer, uniformly distri- buted over the surface. |
| P4. | 530 | 560 | 161.5/0.375 | 0,0198 | Dark grey coloured, oxide layer, looking quite rough. |
| ₽7 | 650 | 600 | 180/0.35 | 0.0205 | Dark grey coloured, oxide layer, non-uniformly distributed over surface. |
| P8 | 760 | 600 | 180/0.35 | 0.0233 | Dark grey coloured oxide layer highly adherent to the surface. |

Table No. 4

| Sample No. | Tempe- rature °C | Dura- tion min. | Dimensions/ Thickness mm ² /mm | Weight gain (\rightarrow m) 2 mg/mm 2 | Physical Appea- rance |
|---------------|------------------------|-----------------------|---|--|---|
| W5 | 650 | 1060 | 180/0.35 | 9.99xl0 ³ | Dark grey colour tarnishing on the surface having violet tinch |
| Wl | 750 | 1080 | 180/0.35 | 0.0188 | Dark grey colour oxide layer, highly brittle and non-sticking to metal surface. |
| W2 | 850 | 1020 | 176/0.31 | 0.160 | Dark grey colour uniform, thick oxide layer |
| W8 | 850 | 1080 | 180/0.375 | 0.0366 | Light grey colour, blistered oxide layer |
| ₩3 | 950 | 1080 | 187/0.35 | 0.0422 | Dark grey colour adherent oxide layer |
| W4 | 1000 | 480 | 180/0.37 | 0.212 | Dark bluith, black rough, very thick oxide layer, adherent to metal surface. |

TABLE NO.5.
Thermogravimetric Data.

| Table 5.1 | Sample No. | Temperature: 500° | |
|---------------------------|---|---------------------------------|---|
| t(min) | Δm mg/mm ² | t(min) | An mg/mm ² |
| 0 | 0 | 300 | 1.42 x 10 ⁻³ |
| 30 | 4.76×10^{-4} | 360 | 1.54 x 10 ³ |
| 60 | 7.14×10^{-4} | 420 | 1.67×10^{-3} |
| 90 | 9.52 x 10 ⁻⁴ | 480 | 1.78×10^{-3} |
| 120 | 1.07×10^{-3} | 54 [^] | 1,90 x 10 ⁻³ |
| 180 | 1.19 x 10 ⁻³ | | |
| 240 | 1.31 x 10 ⁻³ | | |
| | | | |
| Table 5.2 | Sample No. | 47 | Temperature : 600°0 |
| Table 5.2 | Sample No. | 300 | Temperature : 600°0 |
| | | | |
| 0 | 0 8.3 x 10 ⁻⁴ | 300 | 3.5 x 10 ⁻³ |
| 0 | 0 | 300 360 | 3.5 x 10 ⁻³ 3.5x 10 ⁻³ |
| 0 15 30 | 0 8.3×10^{-4} 1.25×10^{-3} 2.49×10^{-3} | 300 360 420 | 3.5 x 10 ⁻³ 3.5x 10 ⁻³ 3.95x 10 ⁻³ |
| 0 15 30 60 | 0 8.3×10^{-4} 1.25×10^{-3} 2.49×10^{-3} 2.4×10^{-3} | 300 360 420 480 | 3.5×10^{-3} 3.5×10^{-3} 3.95×10^{-3} 4.16×10^{-3} |
| 0 15 30 60 90 | 0 8.3×10^{-4} 1.25×10^{-3} 2.49×10^{-3} | 300 360 420 480 540 | 3.5×10^{-3} 3.5×10^{-3} 3.95×10^{-3} 4.16×10^{-3} 4.37×10^{-3} |

| Table 5.3 | Sample No. | 42 | Temperature : 700°C |
|--|--|--|---|
| t(min) | am mg/mm ² | t(min) | ≏ m ng/mn² |
| 0 | 0 | 180 | 2.81×10^{-3} |
| 15 | 9.375× 10 ⁻⁴ | 240 | 3.43×10^{-3} |
| 30 | 1.25×10^{-3} | 300 | 3.75×10^{-3} |
| 60 | 1.56 x 10 ⁻³ | 360 | 4.063 |
| 90 | 1.875x 10 ⁻³ | | |
| 120 | 2.19 x 10 ⁻³ | | |
| 150 | 2.5 x 10 ⁻³ | | |
| | | | |
| and the same of th | | | |
| Table 5.4 | Sample No. | 43 | Temporature : 950° |
| | Sample No. | 43 210 | Temperature : 950° 3.53 x 10 ⁻³ |
| Table 5.4 | | | |
| Table 5.4 0 | 0 | 210 | 3.53 x 10 ⁻³ |
| Table 5.4 0 15 | 0 5.4 × 10 ⁻⁴ | 210 240 | 3.53 x 10 ⁻³ 4.08 x 10 ⁻³ |
| Table 5.4 | 0 5.4 x 10 ⁻⁴ 8.1 x 10 ⁻⁴ | 210 240 270 | 3.53×10^{-3} 4.08×10^{-3} 4.34×10^{-3} |
| Table 5.4 0 15 30 45 | 0 5.4 x 10 ⁻⁴ 8.1 x 10 ⁻⁴ 1.08 x 10 | 210 240 270 300 | 3.53×10^{-3} 4.08×10^{-3} 4.34×10^{-3} 4.89×10^{-3} |
| Table 5.4 0 15 30 45 60 | 0 5.4 \times 10 ⁻⁴ 8.1 \times 10 ⁻⁴ 1.08 \times 10 1.63 \times 10 ⁻³ 1.90 \times 10 ⁻³ | 210 240 270 300 330 | 3.53×10^{-3} 4.08×10^{-3} 4.34×10^{-3} 4.89×10^{-3} 5.16×10^{-3} |
| Table 5.4 0 15 30 45 | 0 5.4×10^{-4} 8.1×10^{-4} 1.08×10 1.63×10^{-3} | 210 240 270 300 330 360 | 3.53×10^{-3} 4.08×10^{-3} 4.34×10^{-3} 4.89×10^{-3} 5.16×10^{-3} 5.43×10^{-3} |

Contd
Table 5 Contd..

| Table 5.5 | Sample No. 45 | | Temp.: 800°C |
|------------|---------------------------|--------|--------------|
| t(min) | Δ m mg/mm ² | t(min) | ∆m ng/mm² |
| 0 | 0 | 210 | 0.00594 |
| 1 5 | 0.00937 | 240 | 0.00656 |
| 30 | 0.00125 | 270 | 0.00686 |
| 45 | 0.00188 | 300 | 0.00719 |
| 60 | 0,0025 | 330 | 0.0075 |
| 90 | 0,00313 | 360 | 0.00781 |
| 120 | 0.00375 | 420 | 0.00875 |
| 150 | 0.00438 | 540 | 0.00968 |
| 180 | 0.00531 | 600 | 0.0103 |
| Table 5.6 | Sample No. 33 | | Temp. 850°C |
| 0 | 0 | 270 | 0.0105 |
| 30 | 0.00265 | 300 | 0.0108 |
| 60 | 0.00497 | 360 | 0.011 |
| 90 | 0.00635 | 420 | 0.0116 |
| 120 | 0.00714 | 480 | 0.0119 |
| 150 | 0.00767 | 540 | 0.0121 |
| 180 | 0.00847 | 600 | 0.0124 |
| 210 | 0.00899 | | |
| 240 | 0.952 | | |

| Table 5.7 | Sample No | • 34 | Temp.: 900°C | |
|-----------|--------------|--------|---------------------|--|
| t(min) | ⇔m mg/mm² | t(min) | ing/mm ² | |
| 0 | 0 | 180 | 0.0705 | |
| 15 | 0.00256 | 240 | 0.012 | |
| 30 | 0.00410 | 300 | 0.0123 | |
| 45 | . 0.00512 | 360 | 0.0133 | |
| 60 | 0.00615 | 390 | 0.0143 | |
| 90 | 0.00769 | 420 | 0.0154 | |
| 120 | 0.00923 | 450 | 0.0164 | |
| 150 | 0.00999 | 480 | 0.0169 | |
| Table 5.8 | Sample No. 3 | 59 | Temp.: 950°C | |
| 0 | 0 - | 120 | 0.0162 | |
| 15 | 0.0032 | 150 | 0.0182 | |
| 30 | 0.0064 | 180 | 0.0205 | |
| 45 | 0.0091 | 210 | 0.0237 | |
| 60 | 0.0104 | 240 | 0.0273 | |
| 75 | 0.0114 | 270 | 0.0299 | |
| 90 | 0.0123 | 300 | 0.033 | |

| Table 5.9 | Sample No | . 40 | Temp. 1000°C |
|-----------|-----------|------|--------------|
| 0 | 0 | 180 | 0.070 |
| 15 | 0,0038 | 210 | 0.105 |
| 30 | 0.0103 | 240 | 0.135 |
| 45 | 0.0136 | 270 | 0.160 |
| 60 | 0.0168 | 300 | 0.175 |
| 75 | 0.0195 | 360 | 0.211 |
| 90 | 0.0231 | 420 | 0.25) |
| 120 | 0.0337 | 480 | 0.293 |
| 150 | 0.0473 | | |

TABLE NO. 6.

Thermogravimetric Data at 800°C for various surface finishes.

| Table 6.1 | Sample No. 36 | | belt Polished |
|-----------|--------------------------|--------|---------------|
| t(min) | △m mg/mm ² | t(min) | ∆m mg/mm² |
| 0 | 0 | 210 | 0.0107 |
| 15 | 0.00176 | 240 | 0.0118 |
| 30 | 0.00296 | 300 | 0.0136. |
| 45 | 0.00385 | 360 | 0.0154 |
| 60 | 0.00503 | 420 | 0.0168 |
| 90 | 0.00651 | 480 | 0.0176 |
| 120 | 0.00769 | 510 | 0.0183 |
| 150 | 0.0086 | | |
| 180 | 0.00976 | | |

| Table 6.2 | Sample No. 48 | 3 | 1/0 finish |
|------------|---------------|-----|------------------|
| 0 | 0 | 180 | 0.00654 |
| 15 | 0.0019 | 210 | 0.0068 |
| 30 | 0.00208 | 240 | 0.00744 |
| 45 • | 0.00238 | 270 | 0.0080 |
| 6 0 | 0.00297 | 300 | 0.00833 |
| 7 5 | 0.00327 | 330 | 0.0086 |
| 90 | 0.00416 | 360 | 0.0089 |
| 120 | 0.00535 | 390 | 0.00922 |
| 150 | 0.00654 | | |
| Table 6.3 | Sample No. 45 | | 4/0 finish |
| See table | ⇒ 5•5 | | |
| Table 6.4 | Sample No. | 51 | Alumina Polished |
|) | 0 | 240 | 0.00660 |
| 15 | 0.00069 | 270 | 0.00729 |
| 50 | 0.00104 | 300 | 0.00763 |
| so | 0.00208 | 360 | 0.00790 |
| 90 | 0.0027 | 420 | 0.00833 |
| 120 | 0.0038 | 480 | 0.00668 |
| 150 | 0.00451 | 540 | 0.00902 |
| 180 | 0.00521 | | |
| 210 | 0.00590 | | |
| Table 6.5 | Sample No. 52 | | Electro polished |
| | 0 | 240 | 0.00562 |
| 30 | 0.00208 | 300 | 0.0062 |
| 50 | 0.00291 | 360 | 0.00667 |
| 90 | 0.0033 | 420 | 0.00708 |
| 120 | 0.0.00417 | 480 | 0.00749 |
| 150 | 0.00458 | 540 | 0.00790 |
| 180 | 0.00499 | | |
| 210 | 0.00541 | | |

Temperature: 600°C

Table No. 7
Thermogravimetric Data

Sample No.XXVI

Table 7.1

| Time (min.) | Weight gain (mg/mm ²) | Time (min) | Weight gain (mg/mm ²) | | |
|------------------|---|-------------------|--|--------------|-------|
| 0 | 0 | 240 | 2.35×10^{-3} | | |
| 15 | 5.88×10^{-4} | 300 | 2.35x10 ⁻³ | | |
| 30 | 1.17×10^{-3} | 360 | 2.35xl0 ⁻³ | | |
| 45 | 1.76×10^{-3} | | | | |
| 60 | 2.05x10 ⁻³ | | | | |
| 90 | 2.15x10 ⁻³ | | | | |
| 120 | 2.35x10 ⁻³ | | | • | |
| 180 | 2.35x10 ⁻³ | | | | |
| Table ' | 7.2 | Sampl | e No. XXV | Temperature: | 700°C |
| 0 | 0 | 360 | 5.58x10 ⁻³ | | |
| 30 | 8.8xl0 ⁻⁴ | 420 | 6.18×10^{-3} | | |
| 60 | | | | | |
| 60 | 2.06x10 ⁻³ | 480 | 6.47×10^{-3} | | |
| 90 | 2.06xl0 ⁻³ 2.65xl0 ⁻³ | 480° 540 | | | |
| | _ | | 6.47×10^{-3} | | |
| 90 | 2.65xl0 ⁻³ | 540 | 6.47×10^{-3} 6.76×10^{-3} | | |
| 90 120 | 2.65xl0 ⁻³ 3.24xl0 ⁻³ | 540 600 | 6.47×10^{-3} 6.76×10^{-3} 7.35×10^{-3} | | |
| 90 120 150 | 2.65xl0 ⁻³ 3.24xl0 ⁻³ 3.82xl0 ⁻³ | 540 600 660 | 6.47×10^{-3} 6.76×10^{-3} 7.35×10^{-3} 7.94×10^{-3} | | |

| Table 7.3 | | Sample No. XVI | | Temperature: 800°C | | |
|-------------|---|----------------|-------------------------------------|--------------------|-------------------|--|
| Time (min.) | Weight ₂ gain (mg/mm ²) | Time (min.) | Weight ₂ gain (mg/mm) | | Weight gain mg/mm | |
| 0 | 0 | 360 | 9.72x10 ⁻³ | 840 | 0.0158 | |
| 30 | 1.13x10 ⁻³ | 420 | 0.0108 | 900 | 0.016 | |
| 60 | 2.78×10^{-3} | 480 | 0.0116 | 960 | 0.0166 | |
| 90 | | 540 | 0.0136 | 990 | 0.0172 | |
| 120 | 4.99×10^{-3} | 600 | 0.0141 | | | |
| 180 | 6.38x10 ⁻³ | 660 | 0.0149 | | | |
| 24C | 8.06x10 ⁻³ | 720 | 0.0152 | | | |
| 300 | 9.17×10^{-3} | 780 | 0.0156 | | | |
| Table ' | 7.4 | Samp | le No. XXII | Temperat | ure: 900°C | |
| 0 | 0 | 180 | 0.0138 | 660 | 0.0192 | |
| 15 | 3.54×10^{-3} | 240 | 0.0153 | 720 | 0.0194 | |
| 30 | 6.49×10^{-3} | 300 | 0.0159 | | | |
| 45 | | 360 | 0.0171 | | | |
| 60 | 8.86x10 ⁻³ | 420 | 0.0174 | | | |
| 9C | 0.0106 | 480 | 0.0180 | | | |
| 120 | 0.0118 | 540 | 0.0186 | | | |
| 150 | 0,0129 | 600 | 0.0189 | | | |

| Table 7.5 | | Samp | Sample No. XX | | Temperature: 950°C | | |
|-----------|-----------------------|------|-----------------|-----|--------------------|--|--|
| 0 | 0 | 32 | 0.0134 | 150 | 0.0207 | | |
| 4 | 3.95x10 ⁻³ | 36 | 0.0138 | 180 | 0.0215 | | |
| 8 | 6.81x10 ⁻³ | 40 | 0.0145 | 240 | 0.0214 | | |
| 12 | 8.79×10^{-3} | 44 | 0.0152 | 300 | 0.0224 | | |
| 16 | 9.89x10 ⁻³ | 48 | 0.0154 | 360 | 0.0228 | | |
| 20 | 0.0109 | 60 | 0.0167 | 420 | 0.0235 | | |
| 24 | 0.0119 | 90 | 0,0193 | 480 | 0.0246 | | |
| 28 | 0.0127 | 120 | 0.0204 | 540 | 0.0250 | | |
| | | | | 600 | 0.0257 | | |
| Table 7.6 | | Samp | Sample No. XXII | | ature: 1000°C | | |
| 0 | 0 | 40 | 0.0157 | 270 | 0.0445 | | |
| 4 | 4.24xl0 ⁻³ | 48 | 0.0167 | 300 | 0.0513 | | |
| 8 | 6.82×10^{-3} | 60 | 0.0178 | 330 | 0.0583 | | |
| 12 | 8.23x10 ⁻³ | 90 | 0.0211 | 352 | 0.0729 | | |
| 16 | 0.0103 | 120 | 0.0232 | 360 | 0.0756 | | |
| 20 | 0.0115 | 150 | 0.0256 | 390 | 0.0804 | | |
| 24 | 0.0124 | 180 | 0.0273 | 420 | 0.084 | | |
| 28 | 0.0134 | 210 | 0.0296 | 450 | 0.086 | | |
| 32 | 0.0143 | 240 | 0.0338 | 480 | 0.089 | | |
| | | | | 540 | 0.097 | | |
| | | | | 600 | 0.099 | | |

Table No. 8

| Table 8 | 8.1 | Sampl | e No.: P6 | Oxygen | Pressure | |
|---------------------|---|---|--|-------------|---------------------------|-------|
| Time (min.) | Weight gain (mg/mm ²) | Time (min.) | Weight gain mg/mm ² | Time (min.) | Weight mg/mm ² | gain |
| 0 | 0 | 150 | 6.25x10 ⁻³ | 540 | 0.0112 | |
| 15 | 1.25×10^{-3} | 180 | 6.56×10^{-3} | 560 | 0.0118 | |
| 30 | 2.19×10^{-3} | 240 | 6.87×10^{-3} | | | |
| 60 | 3.75×10^{-3} | 300 | 7.5×10^{-3} | | | |
| 90 | 4.68×10^{-3} | 360 | 8.12×10^{-3} | | | |
| 120 | 5.62x10 ⁻³ | 420 | 8.75×10^{-3} | | | |
| | | 480 | 0.01 | | | |
| , | | 400 | 0.02 | | | |
| Table 8 | 8.2 | | e No. P9 | Oxygen | Pressure | : 360 |
| Table 8 | 8.2 | | and designed were state-state-state where the state state and stat | Oxygen | Pressure | : 360 |
| | 8.2 8.40x10 ⁻⁴ | Sampl | e No. P9 | Oxygen | Pressure | : 360 |
| 0 | 4 | Sampl | e No. P9 9.80x10 ⁻³ | Oxygen | Pressure | : 360 |
| 0 | 8.40x10 ⁻⁴ | Sample 180 240 | e No. P9 9.80x10 ⁻³ 0.0117 | Oxygen | Pressure | : 360 |
| 0 15 30 | 8.40x10 ⁻⁴ 2.24x10 ⁻³ | Sample 180 240 300 | e No. P9 9.80x10 ⁻³ 0.0117 0.0131 | Oxygen | Pressure | : 360 |
| 0 15 30 60 | 8.40x10 ⁻⁴ 2.24x10 ⁻³ 4.48x10 ⁻³ | Sample 180 240 300 360 | e No. P9 9.80x10 ⁻³ 0.0117 0.0131 0.0148 | Oxygen | Pressure | : 360 |
| 0 15 30 60 | 8.40x10 ⁻⁴ 2.24x10 ⁻³ 4.48x10 ⁻³ 5.32x10 ⁻³ | Sample 180 240 300 360 420 | 9.80x10 ⁻³ 0.0117 0.0131 0.0148 0.0162 | Oxygen | Pressure | : 360 |

| 0 0 240 0.0106 15 1.47x10 ⁻³ 300 0.0112 | |
|---|-----------|
| _ | |
| 70 2 75-10-3 | |
| 30 2.35x10 ⁻³ 360 0.0132 | |
| 60 3.82x10 ⁻³ 420 0.0141 | |
| 90 4.70×10^{-3} 480 0.0149 | |
| $120 	 6.17 \times 10^{-3} 	 540 	 0.0107$ | |
| 150 8.82x10 ⁻³ 600 0.0176 | |
| 9.4×10^{-3} | |
| Table 8.4 Sample No. P4 Oxygen Pressure: 5 | 30 mm |
| 0 0 120 9.59x10 ⁻³ 560 0.0192 | • |
| 4 1.54×10^{-3} 180 0.0117 | |
| 8 2.47×10^{-3} 240 0.0133 | |
| 12 4.33x10 ⁻³ 300 0.0148 | |
| 16 4.95x10 ⁻³ 360 0.0161 | |
| 5.26×10^{-3} 420 0.0170 | |
| | |
| 60 6.81×10^{-3} 480 0.0183 | |

| Table | 8.6 | Sampl | e No. P8 | Oxygen | Pressure: 760 mm |
|-------------|---|---------------|-------------------------|---|------------------------------------|
| 0 | 0 | 240 | 0.0138 | | |
| 15 | 2.2x10 ⁻³ | 300 | 0.016 | | |
| 30 | 3.88×10^{-3} | 360 | 0.0183 | | |
| 60 | 7.22×10^{-3} | 420 | 0.0203 | | |
| 90 | 8.33×10^{-3} | 480 | 0.0211 | | |
| 120 | 9.94×10^{-3} | 540 | 0.0227 | | |
| 150 | 0.110 | 600 | 0.0233 | | |
| 180 | 0.0116 | | | | |
| | | | | *************************************** | |
| | | Table N | | | (500 |
| Tal·le | 9 | Samp 1 | e No. W5 | Tempera | ture: 650°C |
| Time (min.) | Weight ₂ gain (mg/mm ²) | Time (min) | Weight gair (mg/mm²) | n Time (min.) | Weight gain (mg/min ²) |
| 0 . | 5.56x10 ⁻⁴ | 360 | 6.66x10 ⁻³ | 900 | 9.58x10 ⁻³ |
| 30 | 1.1×10^{-3} | 420 | 7.49×10^{-3} | 960 | 9.72×10^{-3} |
| 60 | 1.67×10^{-3} | 480 | 8.05×10^{-3} | 1020 | 9.86×10^{-3} |
| 90 | 2.22×10^{-3} | 540 | 8.33×10^{-3} | 1060 | 9.99×10^{-3} |
| 120 | 3.33×10^{-3} | 600 | 8.61x10 ⁻³ | | |
| 180 | 4.99×10^{-3} | 660 | 8.74×10^{-3} | | |
| 240 | 6.11×10^{-3} | 720 | 8.88x10 ⁻³ | | |
| 300 | 6.66×10^{-3} | 780 | 9.16×10^{-3} | | |
| | | 840 | 9.30×10^{-3} | | |

| Table | 9.2 | Sample | No. Wl | Temper | ature: 750°C |
|-------|-----------------------|------------------|-----------------------|--------|---------------|
| 0 | 0 | 240 | 8.33x10 ⁻³ | 720 | 0.0163 |
| 30 | 1.67×10^{-3} | 300 | 9.72×10^{-3} | 780 | 0.0169 |
| 45 | 2.78×10^{-3} | 360 [.] | 0.0105 | 840 | 0.0172 |
| 60 | 3.61×10^{-3} | 420 | 0.0119 | 900 | 0.0175 |
| 90 | 4.72×10^{-3} | 480 | 0.0133 | 960 | 0.0178 |
| 120 | 6.11×10^{-3} | 540 | 0.0142 | 1020 | 0.0180 |
| 150 | 6.94×10^{-3} | 600 | 0.0149 | 1080 | 0.0188 |
| 180 | 7.49×10^{-3} | 660 | 0.0115 | | |
| Table | 9.3 | Sample | No. W2 | Temper | rature: 850°C |
| 0 | 0 | 180 | 0.0238 | 600 | 0.0542 |
| 4 | 1.70×10^{-3} | 210 | 0.0247 | 660 | 0.0656 |
| 16 | 4.82×10^{-3} | 240 | 0.0249 | 720 | 0.0756 |
| 24 | 8.23×10^{-3} | 300 | 0.026 | 780 | 0.0863 |
| 32 | 9.66×10^{-3} | 360 | 0.0278 | 840 | 0.0954 |
| 48 | 0.0108 | 420 | 0.0308 | 900 | 0.1056 |
| 60 | 0.0122 | 480 | 0.0340 | 960 | 0.1272 |
| 90 | 0.0159 | 510 | 0.0378 | 1020 | 0.160 |
| 120 | 0.020 | 540 | 0.0426 | | |
| 150 | 0.0224 | 570 | 0.0482 | | · |

| Table | 9.4 | Sample | No. W8 | Tempera | ture: 850°C |
|------------|-----------------------|--------|--------|---------|-------------|
| 0 | 0 | 240 | 0.0128 | | |
| 15 | 1.66×10^{-3} | 300 | 0.0138 | | |
| 3 0 | 3.88×10^{-3} | 360 | 0.0149 | | |
| 45 | 5.83×10^{-3} | 420 | 0.0161 | | |
| 60 | 6.39×10^{-3} | 480 | 0.0169 | | |
| 90 | 8.05x10 ⁻³ | 540 | 0.0172 | | |
| 120 | 9.99x10 ⁻³ | 600 | 0.0178 | | |
| 150 | 0.0108 | 660 | 0.0194 | | |
| 180 | 0.0111 | 1080 | 0.0366 | | |
| Table | 9.5 | Sample | No. W3 | Tempera | ture: 950°C |
| 0 | 0 | 180 | 0.0243 | 660 | 0.0336 |
| 6 | 4.81×10^{-3} | 210 | 0.0248 | 720 | 0.0347 |
| 10 | 8.02×10^{-3} | 240 | 0.0259 | 780 | 0.0352 |
| 18 | 0.0133 | 300 | 0.0267 | 840 - | 0.0363 |
| 30 | 0.0152 | 360 | 0.0278 | 900 | 0.0379 |
| 42 | 0.0171 | 420 | 0.0287 | 9.60 | 0.0395 |
| 60 | 0.0189 | 480 | 0.0299 | 1020 | 0.0409 |
| 90 | 0.0208 | 540 | 0.0315 | 1080 | 0.0422 |
| 120 | 0.0214 | 600 | 0.032 | | |
| 150 | 0.0232 | | | | |

| Tabl | e 9.6 | Sampl | e No. W4 | Temper | ature: 1000°C |
|------|--------|---------------|----------|--------|---------------|
| 0 | 0 | 60 | 0.0378 | 30 4 | 0.126 |
| 4 | 0.0111 | 90 | 0.049 | 308 | 0.137 |
| 8 | 0.0138 | 120 | 0.0636 | 312 | 0.1538 |
| 12 | 0.0156 | 15 0 · | 0.0752 | 320 | 0.168 |
| 16 | 0.0186 | 180 | 0.0822 | 330 | 0.175 |
| 20 | 0.0205 | 210 | 0.0933 | 360 | 0.191 |
| 32 | 0.0238 | 240 | 0.1019 | 390 | 0.202 |
| 40 | 0.0272 | 270 | 0.1099 | 420 | 0.207 |
| 48 | 0.0305 | 300 | 0.1205 | 480 | 0.212 |



| X-ray Di | ffracti | on Data | for s | ome impo | rtai | at com | pounds |
|--|---------|---------|-------|----------|------|------------|----------------|
| Compound | 'd | ' value | s · | I/I | l ra | tio | Card No. |
| α -Fe ₂ 0 ₃ | 2.69 | 1.69 | 2.51 | 100 | 60 | 5 0 | 13-534 |
| -Fe ₂ 0 ₃ | 2.52 | 2.95 | 1.61 | 101 | 101 | 101 | 15-615 |
| Fe ₃ 0 ₄ | 2.53 | 1.61 | 1.48 | 100 | 85 | 85 | 11-614 |
| FeO | 2.15 | 2.49 | 1.52 | 100 | 80 | 60 | 6-615 |
| α Fe ₂ 0 ₃ .H ₂ 0 | 4.21 | 2.69 | 2.44 | 100 | 80 | 70 | J8 - 97 |
| FeCr ₂ O ₄ | 2.51 | 1.91 | 1.61 | 100 | 75 | 75 | 4-759 |
| FeMoO ₄ | 2.88 | 1.68 | 3.56 | 100 | 70 | 40 | 16.326 |
| MoO ₂ | 3.41 | 2.42 | 1.70 | 100 | 85 | 80 | 5-0452 |
| MoO ₃ | 3.26 | 3.81 | 3.46 | 100 | 82 | 61 | 5-508 |
| (Cr,Fe) ₂ 0 ₃ | 1.68 | 3.68 | 2.69 | 100 | 80 | 80 | 2-1357 |
| Cr ₂ N | 2.10 | 2.38 | 2.22 | 100 | 25 | 25 | 1-1232 |
| \mathtt{CrN} | 2.07 | 2.39 | 1.46 | 100 | 80 | 80 | 11-65 |
| Cr ₂ 0 _{.3} | 2.67 | 2.48 | 1.67 | 100 | 96 | 90 | 6-504 |
| CrO ₂ | 3.11 | 1.63 | 2.42 | 100 | 75 | 60 | 9-332 |
| CrO ₂ | 4.16 | 3.42 | 3.36 | 100 | 100 | 100 | 9-47 |

Colour of Various Oxides

^{Cr}2⁰3

- green

Cr₂O₃ x H₂O

- violet, blu sh green

CrO

- Black

CrO₂

- Brown black

 MoO_2

- lead grey

^{Mo}2^O3

- black

Mo03

- whitish-yellow

Fe2N, Fe4N

grey

Fe0

black

Fe₂0₃

- red, brownish-black

Fe₂0₃ x H₂0

- red-brownish

Fe₃0₄

- black